



DOCUMENTATION - DOKUMENTATION - DOCUMENTACIÓN

POMPE / PUMP / PUMPE / BOMBA

40-25

AIRLESS®

Notice / Manual / Betriebsanleitung / Libro : 582.027.110 - 1605

Date / Datum / Fecha : 27/05/16

Annule / Supersede / Ersetzt / Anula :

Modif. / Änderung :

NOTICE ORIGINALE / TRANSLATION FROM THE ORIGINAL MANUAL
/ ÜBERSETZUNG DER ORIGINAL BETRIEBSANLEITUNG
/ TRADUCCIÓN DEL MANUAL ORIGINAL

IMPORTANT : Lire attentivement tous les documents avant le stockage, l'installation ou la mise en service du matériel concerné (à usage strictement professionnel).

Before assembly and start-up, please read and clearly understand all the documents relating to this equipment (professional use only).

WICHTIGER HINWEIS: Vor Lagerung, Installation oder Inbetriebnahme des Geräts bitte sämtliche Dokumente sorgfältig lesen (Einsatz nur von geschultem Personal).

IMPORTANTE : Lea con atención todos los documentos antes de almacenar, instalar o poner en marcha el equipo (uso exclusivamente profesional).

**PHOTOS ET ILLUSTRATIONS NON CONTRACTUELLES. MATERIELS SUJETS A MODIFICATION(S) SANS PREAVIS.
THE PICTURES AND DRAWINGS ARE NON CONTRACTUAL. WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT PRIOR NOTICE.
ALLE IN DIESEM DOKUMENT ENTHALTENEN SCHRIFTLICHEN ANGABEN UND ABBILDUNGEN STELLEN DIE NEUESTEN
PRODUKTINFORMATIONEN DAR. WIR BEHALTEN UNS DAS RECHT VOR, JEDERZEIT OHNE VORANKÜNDIGUNG ÄNDERUNGEN
VORZUNEHMEN.
LAS FOTOGRAFÍAS E ILUSTRACIONES NO SON VINCULANTES. LOS MATERIALES ESTÁN SUJETOS A CAMBIOS SIN PREVIO AVISO.**

KREMLIN - REXSON

150, avenue de Stalingrad
93 245 - STAINS CEDEX - France

☎ : 33 (0)1 49 40 25 25 Fax : 33 (0)1 48 26 07 16

www.kremlin-rexson.com



INSTALLATION AND SAFETY INSTRUCTIONS

TRANSLATION OF THE ORIGINAL MANUAL

IMPORTANT : Before assembly and start-up, please read and clearly understand all the documents relating to this equipment (professional use only).

THE PICTURES AND DRAWINGS ARE NON CONTRACTUAL. WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT PRIOR NOTICE.

KREMLIN - REXSON
150, avenue de Stalingrad
93 245 - STAINS CEDEX – France
☎ : 33 (0)1 49 40 25 25 Fax : 33 (0)1 48 26 07 16

www.kremlin-rexson.com

1. SAFETY INSTRUCTIONS

GENERAL SAFETY INSTRUCTIONS



CAUTION : The equipment can be dangerous if you do not follow our instructions concerning installation and servicing described in this manual and in accordance with applicable European standards and local national safety regulations.

Please carefully read all the instruction literature before operating your equipment.

Only trained operators can use the equipment (To acquire an essential training, please contact the "KREMLIN REXSON University" training center - Stains).

The foreman must ensure that the operator has understood the safety instructions for this equipment as well as the instructions in the manuals for the different parts and accessories.

Read carefully all instruction manuals, label markings before operating the equipment.

Incorrect use may result in injury. This equipment is for professional use only. It must be used only for what it has been designed for. Never modify the equipment. The parts and accessories supplied must be regularly inspected. Defective or worn parts must be replaced.

Guards (motor cover, coupling shields, connectors,...) have been designed for a safe use of the equipment.

The manufacturer will not be held responsible for bodily injury or failure and / or property damage due to destruction, the overshadowing or the partial or total removal of the guards.

Never exceed the equipment components' maximum working pressure.

Comply with regulations concerning safety, fire risks, electrical regulations in force in the country of final destination of the material. Use only products or solvent compatible with the parts in contact with the material (refer to data sheet of the material manufacturer).

PICTOGRAMS

| | | | | | |
|-------------------|-------------------------|----------------------|-----------------------|-----------------------------|--------------------------|
| | | | | | |
| NIP HAZARD | WARNING MOVING ELEVATOR | WARNING MOVING PARTS | WARNING MOVING SHOVEL | DO NOT EXCEED THIS PRESSURE | HIGH PRESSURE HAZARD |
| | | | | | |
| ELECTRICAL HAZARD | WARNING FIRE HAZARDS | EXPLOSION HAZARDS | GROUNDING | WARNING (USER) | WARNING SERIOUS INJURIES |

FIRE - EXPLOSION - SPARKS - STATIC ELECTRICITY HAZARDS

A poor earth connection, inadequate ventilation, sparks or static electricity can cause an explosion or fire. To avoid these risks when using or servicing KREMLIN REXSON equipment, the following safety procedures must be followed :



- ensure a good earth connection and ground the parts to be handled i.e. solvents, materials, components and equipment,
- ensure adequate ventilation,
- keep working area clean and free from waste solvents, chemicals, or solid waste i.e. rags, paper and empty chemicals drums,
- never use electrical switches / power if in an atmosphere of volatile solvent vapour,
- stop working immediately in case of electrical arcs,
- never store chemicals and solvents in the working area.
- use paint whose flash point is the highest possible to prevent from any formation of gas and inflammable vapours (refer to materials' safety instructions),
- install a cover on the drums to reduce the diffusion of gas and vapours in the spraybooth.

TOXIC PRODUCT HAZARDS

Toxic products or vapours can cause severe injury not only through contact with the body, but also if the products are ingested or inhaled. It is imperative :



- to know the material products and their risks,
- notified or hazardous materials must be stored in accordance with the regulations,
- the material must be stored in an appropriate container, never place materials in a container where there is a risk of spillage or leakage,
- a procedure must be applied for the safe disposal of waste material. It must comply with all prevailing regulations and legislations of the country where the equipment is to be used,
- protective clothing should always be worn in compliance with the material manufacturers' recommendations,
- depending on the application and chemical safety instructions, safety glasses, hearing protective earplug, gloves, foot wear, protective masks and possible breathing equipment should be worn to comply with the regulations (Refer to chapter "Safety equipment of KREMLIN selection guide).



CAUTION!



It is forbidden to use material containing high concentrations of halogenated hydrocarbon solvents with **aluminium** or **zinc fillers**. Non-compliance with the instructions may cause explosion risk causing serious or fatal injury.

EQUIPMENT REQUIREMENTS

Guards (motor cover, coupling shields, connectors,...) have been designed for a safe use of the equipment.
The manufacturer will not be held responsible for bodily injury or failure and / or property damage due to destruction, the overshadowing or the partial or total removal of the guards.

PUMP



Before carrying out any work, it is imperative to read and clearly understand the disassembly and reassembly instructions before servicing. The operator must understand the equipment and the safety instructions. These instructions are available in the equipment manuals.

The air motor is designed to be mounted with a pump. Never modify any components or couplings. When operating, please keep hands away from moving parts. Before starting up the equipment, please read the PRESSURE RELIEF instructions. Please ensure that any relief or drain valves fitted are in good working order.

HOSES

- Keep hoses out of circulation areas, moving parts or hot surfaces,
- Never expose product hoses to temperature higher than + 60°C / 140° F or lower than 0°C / 32° F,
- Never pull or use the hoses to move the equipment,
- Tighten all fittings as well as the hoses before operating the equipment,
- Check the hoses regularly; change them if they are damaged,
- Never exceed the working pressure (WP) indicated on the hose.

USED PRODUCTS

Considering the wide variety of products that are available and can be used in our equipment it is impossible to check and make recommendations for all chemical data, regarding the risks of possible chemical attack and their long term chemical reaction

KREMLIN REXSON can not be held liable for :

- Compatibility of wetted parts,
- Risks to staff and the surroundings,
- for worn or defective parts, for faulty equipment or units, or the quality of final product.

It is the responsibility of the user to know and prevent any possible risks such as toxic vapours, fires or explosions. He shall determine the risks of immediate reactions or pursuant to repeated exposures of the staff,

KREMLIN REXSON shall not be liable for physical injuries, direct or indirect material damages caused by the use of chemicals.

2. HANDLING

 **Check the weight and the dimensions of the equipment**

( refer to 'Technical features' section of the instruction manual)

If weight and dimensions are too important, the unloading must be carried out by means of a forklift or any other appropriate means with a qualified personnel and in a clear horizontal area to prevent from risks of damage injury or an accident.

The centre of gravity is not in the centre of the machine : carry out by hand a stability-test after having lifted the whole at 10 cm / 3.937" maximum.

After the unloading, the handling of the whole (eg: elevator pump) is carried out by means of a pallet truck taking the bottom part of the frame.

Remark : Each pump motor is fitted with a ring. The ring is designed for the hoisting of one pump and can not be used for the handling of the complete machine.

3. STORING

Storing before installation :

- Storing ambient temperature : 0 / +50 °C / 0 / +122°F
- Protect the whole against dust, water trickling, dampness and shocks.

Storing after installation :

- Operating temperature : +15 / +35 °C / +59 / +138.2° F
- Protect the whole against dust, water trickling, dampness and shocks.

4. INSTALLATION OF THE EQUIPMENT

The machine is installed on a stable horizontal floor (for eg a concrete flag).



To avoid risks caused by static electricity, the equipment as well as its components must be grounded.

- **For the pumping equipments** (pumps, pneumatic rams, frame...), a section wire of 2.5 mm² is fixed on the material. Use this wire to connect the material to "the general ground". In case of severe environments (mechanical protection of the wire of earthing insufficient, vibrations, mobile material...) where function damages at the ground are probable, the user have to replace the provided wire of 2.5 mm² by a device more adapted to its environment (wire with a more important section, bonding strip, fixing by thimble with eyelet...),

The continuity of the ground must be controlled by a qualified electrician. If the continuity of the ground is not ensured, check the terminal, the wire and the earthing point. **Never** use the material without have solved this problem.

- In the severe cases of environments (mechanical protection of the wire of earthing insufficient, vibrations, mobile material...) where damages of the function put at the ground are probable, the user will have to replace the wire of 2.5 mm² provided, by a device more adapted to its environment (wire of more important section, bonding strip, fixing by thimble with eyelet...),
- **The gun** must be 'grounded' via a material hose or an air hose. In case of spraying by means of a gun with cup, the air hose must be conductive,
- **The materials to be painted** must also be grounded.

All the materials situated in the working area shall be grounded.



- **Never store** more than necessary inflammable materials inside the working area,
- The materials must be stored into **approved drums** and grounded,
- Use only grounded **metals containers** for the use of cleaning solvents,
- **Cardboard and paper are prohibited.**

5. MARKING OF THE EQUIPMENT

Each equipment has a marking plate.

The plate consists of the name of the manufacturer, the equipment part number and important information for correct use of the equipment (air pressure, electric power,...).



| FR | UK | DE |
|---|--|--|
| <p>Pour une utilisation sûre, il est de votre responsabilité de :</p> <ul style="list-style-type: none"> • Lire attentivement tous les documents contenus dans le CD joint avant la mise en service de l'équipement, • D'installer, d'utiliser, d'entretenir et de réparer l'équipement conformément aux préconisations de KREMLIN REXSON ainsi qu'aux réglementations nationales et/ou locales, • Vous assurez que les utilisateurs de cet équipement ont été formés, ont parfaitement compris les règles de sécurité et qu'ils les appliquent. | <p>To ensure safe use of the machinery, it is your responsibility to:</p> <ul style="list-style-type: none"> • Carefully read all documents contained on the enclosed CD before putting the machinery into service, • Install, use, maintain and repair the machinery in accordance with KREMLIN REXSON's recommendations and national and/or local regulations, • Make sure that the users of the machinery have received proper training and that they have perfectly understood the safety rules and apply them. | <p>Eine sichere Nutzung setzt voraus, dass Sie:</p> <ul style="list-style-type: none"> • alle in der CD enthaltenen Dokumente vor der Inbetriebnahme der Anlage aufmerksam lesen, • die Anlage im Einklang mit den Empfehlungen von KREMLIN REXSON sowie mit den nationalen und/oder lokalen Bestimmungen installieren, verwenden, warten und reparieren, • sich vergewissern, dass die Nutzer dieser Anlage angemessen geschult wurden, die Sicherheitsbestimmungen verstanden haben und sie anwenden. |
| <p>ES</p> <p>Para una utilización segura, será de su responsabilidad:</p> <ul style="list-style-type: none"> • leer atentamente todos los documentos que se incluyen en el CD adjunto antes de la puesta en servicio del equipo, • instalar, utilizar, efectuar el mantenimiento y reparar el equipo con arreglo a las recomendaciones de KREMLIN REXSON y a la normativa nacional y/o local, • cerciorarse de que los usuarios de este equipo han recibido la formación necesaria, han entendido perfectamente las normas de seguridad y las aplican. | <p>IT</p> <p>Per un uso sicuro, vi invitiamo a:</p> <ul style="list-style-type: none"> • leggere attentamente tutta la documentazione contenuta nel CD allegato prima della messa in funzione dell'apparecchio, • installare, utilizzare, mantenere e riparare l'apparecchio rispettando le raccomandazioni di KREMLIN REXSON, nonché le normative nazionali e/o locali, • accertarsi che gli utilizzatori dell'apparecchio abbiano ricevuto adeguata formazione, abbiano perfettamente compreso le regole di sicurezza e le applicino. | <p>PT</p> <p>Para uma utilização segura, é da sua responsabilidade:</p> <ul style="list-style-type: none"> • Ler atentamente todos os documentos incluídos no CD em anexo antes de pôr o equipamento em funcionamento, • Proceder à instalação, utilização, manutenção e reparação do equipamento de acordo com as preconizações de KREMLIN REXSON, bem como com outros regulamentos nacionais e/ou locais aplicáveis, • Assegurar-se que os utilizadores do equipamento foram devidamente capacitados, compreenderam perfeitamente e aplicam as devidas regras de segurança. |
| <p>NL</p> <p>Voor een veilig gebruik dient u:</p> <ul style="list-style-type: none"> • alle document op de bijgevoegde cd aandachtig te lezen alvorens het apparaat in werking te stellen, • het apparaat te installeren, gebruiken, onderhouden en repareren volgens de door KREMLIN REXSON gegeven aanbevelingen en overeenkomstig de nationale en/of plaatselijke reglementeringen, • zeker te stellen dat de gebruikers van dit apparaat zijn opgeleid, de veiligheidsregels perfect hebben begrepen en dat zij die ook toepassen. | <p>SE</p> <p>För en säker användning av utrustningen ansvarar ni för följande:</p> <ul style="list-style-type: none"> • Läs nog samliga dokument som finns på den medföljande cd-skivan innan utrustningen tas i drift. • Installera, använd, underhåll och reparera utrustningen enligt anvisningarna från KREMLIN REXSON och enligt nationella och/eller lokala bestämmelser. • Försäkra er om att användare av denna utrustning erhållit utbildning, till fullo förstått säkerhetsföreskrifterna och tillämpar dem. | <p>FI</p> <p>Käytön turvallisuuden varmistamiseksi velvollisuutesi on:</p> <ul style="list-style-type: none"> • Lukea huolella kaikki CD:llä olevat asiakirjat ennen laitteiston käyttöönottoa, • Noudattaa laitteen asennuksessa, käytössä, kunnossapidossa ja huollossa KREMLIN REXSON in suosituksia sekä kansallisia ja/tai paikallisia määräyksiä, • Varmistaa, että laitteen käyttäjät ovat koulutettuja ja ymmärtävät täysin turvallisuusmääräykset ja miten niitä sovelletaan. |
| <p>PL</p> <p>Dla zapewnienia bezpiecznego użytkowania na użytkowniku spoczywa obowiązek:</p> <ul style="list-style-type: none"> • Uważnego zapoznania się ze wszystkimi dokumentami znajdującymi się na załączonej płyce CD przed pierwszym uruchomieniem urządzenia, • Instalowania, użytkowania, konserwacji i naprawy urządzenia zgodnie z zaleceniami firmy KREMLIN REXSON oraz z przepisami miejscowymi, • Upewnienia, że wszyscy przeszkołeni użytkownicy urządzenia zrozumieli zasady bezpieczeństwa i stosują się do nich. | <p>CS</p> <p>Pro bezpečné používání jste povinni:</p> <ul style="list-style-type: none"> • Před uvedením zařízení do provozu si pozorně přečíst veškeré dokumenty obsažené na přiloženém CD, • Nainstalovat, používat, udržovat a opravovat zařízení v souladu s pokyny firmy KREMLIN REXSON a s národními a/nebo místními legislativními předpisy, • Ujistit se, že uživatelé tohoto zařízení byli výškoleni, že dokonale pochopili bezpečnostní pravidla a že je dodržují. | <p>RU</p> <p>Для целей безопасного использования необходимо:</p> <ul style="list-style-type: none"> • Ознакомиться со всеми документами, содержащимися в прилагаемом компакт-диске до ввода оборудования в эксплуатацию; • Устанавливать, использовать, производить техническое обслуживание и ремонт оборудования в соответствии с рекомендациями KREMLIN REXSON и национальным и/или местным законодательством; • Убедиться, что пользователи настоящего оборудования прошли подготовку, надлежащим образом усвоили правила безопасности и обеспечивают их соблюдение. |

Déclaration(s) de conformité au verso de ce document / Declaration(s) of conformity at the back of this document / Konformitätserklärung(en) auf der Rückseite dieser Unterlage / Declaración (es) de conformidad en el reverso de este documento / Dichiarazione(i) di conformità sul retro del presente documento / Declaração(cões) de conformidade no verso do documento / Conformiteitsverklaring(en) op de keerzijde van dit document / Försäkran om överensstämmelse på omstående sida av detta dokument / Vaatimustenmukaisuusvakuutukset tämän asiakirjan käänköpuolella / Deklaracija(e) zgodnosti na odwrocie dokumentu / Prohlášení o shodě se nachází/nachází na zadní straně tohoto dokumentu / Сертификат(ы) соответствия расположены на оборотной стороне настоящего документа

VALABLE JUSQU'AU 19 AVRIL 2016
 VALID UNTIL 19 APRIL 2016
 GÜLTIG BIS ZUM 19. APRIL 2016
 VALIDEZ HASTA EL 19 DE ABRIL DE 2016
 VALIDO FINO AL 19 APRILE 2016
 APPLICÁVEL ATÉ 19 DE ABRIL DE 2016
 GELDIG TOT 19 APRIL 2016
 GÄLLER TILL OCH MED DEN 19 APRIL 2016
 VOIMASSA 19.4.2016 SAAKKA
 WAŻNOŚĆ DO 19 KWIETNIA 2016 R.
 PLATÍ DO 19. DUBNA 2016
 ДЕЙСТВИТЕЛЬНО ДО 19 АПРЕЛЯ 2016 ГОДА



DECLARATION CE DE CONFORMITE
EC DECLARATION OF CONFORMITY
EG KONFORMITÄTSERKLÄRUNG
DECLARACIÓN CE DE CONFORMIDAD
DICHIARAZIONE CE DI CONFORMITÀ
DECLARAÇÃO CE DE CONFORMIDADE
EG-VERKLARING VAN OVEREENSTEMMING
EG-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE
EY-VAATIMUKSENMUKAISUUSVAKUUTUS
DEKLARACJA ZGODNOŚCI CE
CE PROHLÁŠENÍ O SHODE
ДЕКЛАРАЦИЯ СООТВЕТСТВИЯ СЕ

Le fabricant / The manufacturer / Der Hersteller
 / El fabricante / Il produttore / O fabricante
 / De fabrikant / Tillverkare / Valmistaja / Producent / Výrobce
 / Изготовитель:

KREMLIN REXSON
 150, avenue de Stalingrad
 93 240 - STAINS - FRANCE
 Tél. 33 (0)1 49 40 25 25 - Fax : 33 (0)1 48 26 07 16

Déclare que le matériel désigné ci-après / Herewith declares that the equipment / erklärt hiermit, dass die / Declara que el material designado a continuación / Dichiara che il materiale sottoindicato / Declara que o material a seguir designado / verkaart dat de hieronder aangeduide apparatuur / Kungör att den utrustning som anges här nedan / ilmoittaa, että alla mainitut laitteistot / Oświadczenie, że wymienione poniżej urządzenia / Prohlašuje, že níže uvedené vybavení / Deklariruet, что ниженазванное оборудование:

POMPES AIRLESS® / AIRLESS PUMPS / AIRLESS® PUMPEN / BOMBAS AIRLESS®

| | |
|--------|----------|
| 40-25 | 40-25 WB |
| 40-50 | 40-50 WB |
| 40-130 | 40-130_2 |
| 65-130 | 65-130_2 |

Est conforme à la législation d'harmonisation de l'Union applicable suivante / Is in conformity with the relevant Union harmonisation legislation / Erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union / es conforme con la legislación de armonización pertinente de la Unión / è conforme alla pertinente normativa di armonizzazione dell'Unione / in overeenstemming met de desbetreffende harmonisatiewetgeving van de Unie / med den relevanta harmoniserade unionslagstiftningen / on asiaa koskevan unionin yhdenmukaistamislainsäädännön vaatimusten mukainen / jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego / Shoduje se s následující příslušnou evropskou harmonizační legislativou / Соответствует следующим стандартизованным нормам Союза

Directive ATEX / ATEX Directive / ATEX Richtlinie / Directiva ATEX / Direttiva ATEX / Diretiva ATEX / ATEX-Richtlijn / ATEX-direktivet / ATEX-direktivi / Dyrektywa ATEX / Směrnice ATEX / Директива ATEX

94/9/CE



Dominique LAGOUGE

Directeur Général / Chief Executive Officer / Generaldirektor
 / Director General / Direttore Generale / Director Geral / Algemeen
 Directeur / Generaldirektör / Pääjohtaja / Dyrektor Naczelnny
 / Dyrektor Generalny / Generální ředitel / Генеральный директор

Fait à Stains, le / Established in Stains, on / Geschehen zu Stains, am / En Stains, a / Redatto a Stains, / Vastgesteld te Stains, / Utformat i Stains, den / Stains, Ranska, / Sporządzono w Stains, dnia / Stains, dnia / Издано в г. Стэн (Stains) 21/01/2010 - 01/21/2010

VALABLE A PARTIR DU 20 AVRIL 2016

VALID FROM 20 APRIL 2016

GÜLTIG AB DEM 20. APRIL 2016

VALIDEZ A PARTIR DEL 20 DE ABRIL DE 2016

VALIDO A PARTIRE DAL 20 APRILE 2016

APLICÁVEL A PARTIR DE 20 DE ABRIL DE 2016

GELDIG VANAF 20 APRIL 2016.

GÄLLER FRÅN OCH MED DEN 20 APRIL 2016

VOIMASSA 20.4.2016 ALKAEN

WAŻNOŚĆ OD 20 KWIETNIA 2016 R.

PLATÍ OD 20. DUBNA 2016

ДЕЙСТВИТЕЛЬНО С 20 АПРЕЛЯ 2016 ГОДА



DECLARATION UE DE CONFORMITE

UE DECLARATION OF CONFORMITY

EU-KONFORMITÄTSERKLÄRUNG

DECLARACIÓN UE DE CONFORMIDAD

DICHIARAZIONE DI CONFORMITÀ UE

DECLARAÇÃO UE DE CONFORMIDADE

EU-CONFORMITEITSVERKLARING

EU-FÖRSÄKRA OM ÖVERENSSTÄMMELSE

EU-VAATIMUKSENMUKAISUUSVAKUUTUS

DEKLARACJA ZGODNOŚCI UE

EU PROHLÁŠENÍ O SHODE

ДЕКЛАРАЦИЯ О СООТВЕТСТВИИ НОРМАМ ЕС

Le fabricant / The manufacturer / Der Hersteller

/ El fabricante / Il produttore / O fabricante

/ De fabrikant / Tillverkare / Valmistaja / Producent / Výrobce

/ Изготовитель:

KREMLIN REXSON

150, avenue de Stalingrad

93 240 - STAINS - FRANCE

Tél. 33 (0)1 49 40 25 25 - Fax : 33 (0)1 48 26 07 16

Déclare que le matériel désigné ci-après / Herewith declares that the equipment / erklärt hiermit, dass die / Declara que el material designado a continuación / Dichiara che il materiale sottoindicato / Declara que o material a seguir designado / verklaart dat de hieronder aangeduide apparatuur / Kungör att den utrustning som anges här nedan / ilmoittaa, että alla mainitut laitteistot / Oświadczenie, że wymienione poniżej urządzenia / Prohlašuje, že níže uvedené vybavení / Декларирует, что нижнезазначенное оборудование:

POMPES AIRLESS® / AIRLESS PUMPS / AIRLESS® PUMPEN / BOMBAS AIRLESS®

| | |
|--------|----------|
| 40-25 | 40-25 WB |
| 40-50 | 40-50 WB |
| 40-130 | 40-130_2 |
| 65-130 | 65-130_2 |

Est conforme à la législation d'harmonisation de l'Union applicable suivante / Is in conformity with the relevant Union harmonisation legislation / Erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union / es conforme con la legislación de armonización pertinente de la Unión / è conforme alla pertinente normativa di armonizzazione dell'Unione / in overeenstemming met de desbetreffende harmonisatiewetgeving van de Unie / med den relevanta harmoniserade unionslagstiftningen / on asiaa koskevan unionin yhdenmukaistamislainsäädännön vaatimusten mukainen / jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego / Shoduje se s následující příslušnou evropskou harmonizační legislativou / Соответствует следующим стандартизованным нормам Союза

Directive ATEX / ATEX Directive / ATEX Richtlinie / Directiva ATEX / Direttiva ATEX / Diretiva ATEX / ATEX-Richtlijn / ATEX-direktivet / ATEX-direktivi / Dyrektywa ATEX / Směrnice ATEX / Директива ATEX



2014/34/UE

Procédure d'évaluation de la conformité : Module A Documentation technique (Annexe VIII) archivée par : / Conformity assessment procedure: Module A Technical documentation (ANNEX VIII) recorded by: / Verfahren zur Konformitätsbewertung: Modul A Technische Unterlagen (ANLAGE VIII) archiviert durch: / Procedimiento de evaluación de la conformidad: Módulo A Documentación técnica (ANEXO VIII) archivada por: / Procedura di valutazione della conformità: Modulo A Documentazione tecnica (ALLEGATO VIII) archiviata a cura di: / Procedimento de avaliação da conformidade: Módulo A Documentação técnica (ANEXO VIII) arquivada por: / Conformiteitsbeoordelingsprocedure: Module A Technische documentatie (BIJLAGE VIII) gearchiveerd door: / Förvarande för bedömnning av överensstämmelse: Modul A Teknisk dokumentation (BILAGA VIII) arkiverad av: / Vaatimustenmukaisuusarvointimenetelmä: moduuli A Tekninen dokumentaatio (LIITE VIII) arkistoitu: / Procedura oceny zgodności: Moduł A Dokumentacji technicznej (ZAŁĄCZNIK VIII) zarchiwizowane przez: / Postup posuzování shody: Modul A Technická dokumentace (PŘÍLOHA VIII) archivována: / Процедура оценки соответствия: Модуль А Техническая документация (ПРИЛОЖЕНИЕ VIII), архивированная:

ISSeP Zoning A. Schweitzer Rue de la Platinerie B - 7340 COLFONTAINE BELGIQUE

Dominique LAGOUGE

Directeur Général / Chief Executive Officer / Generaldirektor / Director General / Direttore Generale / Director Geral / Algemeen Directeur / Generaldirektör / Pääjohtaja / Dyrektor Naczelný / Dyrektor Generalny / Generální ředitel / Генеральный директор

Fait à Stains, le / Established in Stains, on / Geschehen zu Stains, am / En Stains, a / Redatto a Stains, / Vastgesteld te Stains, / Utformat i Stains, den / Stains, Ranska, / Sporządzono w Stains, dnia / Stains, dnia / Издано в г. Стэн (Stains) 13/04/2016 - 04/13/2016



AIRLESS PUMP

40-25

Disassembly / Reassembly

TRANSLATION FROM THE ORIGINAL MANUAL

IMPORTANT : Before assembly and start-up, please read and clearly understand all the documents relating to this equipment (professional use only).

THE PICTURES AND DRAWINGS ARE NON CONTRACTUAL. WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT PRIOR NOTICE.

KREMLIN - REXSON

150, avenue de Stalingrad

93 245 - STAINS CEDEX – France

: 33 (0)1 49 40 25 25 Fax : 33 (0)1 48 26 07 16

www.kremlin-rexson.com



CAUTION :

Before any action on the pump, shut off the compressed air supply and depressurize the system.

The pump is manufactured under the ATEX agreement and can not be modified.
KREMLIN REXSON will not be held responsible for any failure to comply with that instruction.

Guards (air motor cover, coupling shields, housings ...) have been designed for safe use of the equipment.

The manufacturer will not be held responsible for bodily injury or failure and / or damage to property due to removal or partial removal of the guards

■ SUCTION VALVE (REFER TO DOC. 573.032.050)

Unscrew suction valve (5) by holding cylinder (2).

The ball (10) is secured on the valve (5) by means of a circlips (9).

Clean the parts.

Reinstall suction valve (5) and seal (25). Replace them if necessary.

■ EXHAUST VALVE

Unscrew cylinder (2) and pull it downwards.

Unscrew exhaust valve (6) by holding piston (3).

Remove ball (15).

Clean the parts and reinstall them. Be certain seal (8) is installed. Replace the parts if necessary.

■ LOWER MOBILE PACKING

Unscrew cylinder (2) and pull it downwards.

Unscrew stuffing-box (7) to release GT seal (13) from exhaust valve (6).

Remount the parts in reverse order.

When reassembling :

- Install the GT seal onto exhaust valve (6).
- Screw stuffing-box (7).
- The seal must be blocked by screwing mobile stuffing-box (7) onto exhaust valve (6) strongly.
If necessary replace seal (8) when reinstalling cylinder (2).

■ UPPER PACKING

Separate the piston rod from the motor and the piston from the fluid section.

Unscrew wetting-cup (4) by means of the wrench supplied with the pump.


Pull piston (3) upwards to remove seals (21 and 22) from upper packing (18).

Reinstall parts in reverse order. Be certain seals (21 and 22) are installed properly (direction, order and assembly dimension).

Tighten wetting-cup (4).

After reassembly, fill up the pump with solvent and increase pressure to maximum in the fluid section. Then stop the pump and open exhaust valve to depressurize.

Retighten wetting-cup (4) by means of the wrench, in order to be in accordance with the opposite drawing.



■ REVERSING BLOCK (REFER TO DOC. 573.087.040)

Guards (air motor cover, coupling shields, housings ...) have been designed for safe use of the equipment.


The manufacturer will not be held responsible for bodily injury or failure and / or damage to property due to removal or partial removal of the guards

Disassemble cover (32) by removing the 3 CHc screws (33).

Dissociate female yoke (12) from reversing block lever (9).

Dismount reversing block by removing screws (10 and 8).

Reinstall the new reversing block in the reverse order of the disassembly sequence.




CAUTION : The number of spirals must equally be distributed on each fastening parts in order to get the above dimension.

Before reassembling :

- Clean the parts with the appropriate cleaning solvent.
- Install new seals if it is necessary after having lubricated them with PTFE grease.
- Install new parts if it is necessary.

■ ASSEMBLY INSTRUCTIONS



| Index | Instruction | Description | Part number |
|-------|---|-------------------------------------|-------------|
| A 1 | PTFE grease | PTFE grease (10 ml / 0.0026 US gal) | 560.440.101 |
| A 2 | Anti-seize grease | Grease box (450 g / 0.99 lb) | 560.420.005 |
| C 1 | Medium strength Aneorobic Pipe sealant | Loctite 577 (250 ml / 0.066 US gal) | 554.180.015 |


Doc. 573.257.050
 Date/Datum/Fecha : 17/02/14
 Annule/Cancels/
 Ersetzt/Anula : 01/03/12

Modif. / Änderung : # Ind. / Pos. 17
 (049 596 110 → 149 596 150)
 + Ind. / Pos. 18
 (149 591 400 → 149 596 152)
 + options / on request / optional
 / opciones

Pièces de rechange
Spare parts list
Ersatzteilliste
Piezas de repuesto

40-25

POMPE AIRLESS® / AIRLESS PUMP
AIRLESS® PUMPE / BOMBA AIRLESS®



| | | |
|---|--|-------------------------|
| POMPE MURALE, modèle 40-25 sans filtre | WALL MOUNTED PUMP, model 40-25 without filter | # 151.775.100 |
| WANDANLAGE, Modell 40-25 ohne Filter | BOMBA MURAL, tipo 40-25 sin filtro | |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|--------------------|---|---|--|--|----------|
| - | 151 775 000 | Pompe 40.25 nue | Bare pump, model 40.25 | Pumpe 40.25, nackt | Bomba sola, tipo 40.25 | 1 |
| *1 | 146 275 000 | ▪ Moteur 1000-4 (voir Doc. 573.045.050) | ▪ Air motor, model 1000-4 (refer to Doc. 573.045.050) | ▪ Luftmotor 1000-4 (siehe Dok. 573.045.050) | ▪ Motor, tipo 1000-4 (consultar Doc. 573.045.050) | 1 |
| *2 | 144 950 000 | ▪ Hydraulique 25 (voir Doc. 573.032.050) | ▪ Fluid section, model 25 (refer to Doc. 573.032.050) | ▪ Hydraulikteil 25 (siehe Dok. 573.032.050) | ▪ Hidráulica 25 (consultar Doc. 573.032.050) | 1 |
| 3 | 051 770 001 | ▪ Tirant | ▪ Tie-rod, connecting | ▪ Stehbolzen | ▪ Tirante | 4 |
| 4 | 953 010 021 | ▪ Ecrou HM 10 | ▪ Nut, HM 10 | ▪ Mutter Hm 10 | ▪ Tuerca HM 10 | 4 |
| 5 | 963 040 021 | ▪ Rondelle MN 10 | ▪ Washer, MN 10 | ▪ Scheibe MN 10 | ▪ Arandela MN 10 | 4 |
| | | | | | | |
| 6 | 051 770 101 | Plaque d'interface | Plate | Befestigungsplatte | Placa | 1 |
| 7 | 933 011 279 | Vis M 8 x 20 | Screw, M 8 x 20 | Schraube M 8 x 20 | Tornillo, M 8 x 20 | 3 |
| 8 | 933 151 147 | Vis CHc - M 8 x 10 | Screw, CHc - M 8 x 10 | Schraube CHc M 8 x10 | Tornillo CHc - M 8 x 10 | 1 |
| | | | | | | |
| 10 | 151 790 160 | Equipement d'air (voir Doc. 573.403.050) | Air supply (refer to Doc. 573.403.050) | Luftausrüstung (siehe Dok. 573.403.050) | Equipo de aire (consultar Doc. 573.403.050) | 1 |
| 11 | 904 523 006 | Raccord, M 3/8 BSP - M 1/2 BSP | Fitting, double male, 3/8 BSP - 1/2 BSP | Doppelnippel AG 3/8 BSP - 1/2 BSP | Racor, M 3/8 BSP - M 1/2 BSP | 1 |
| 12 | 904 123 004 | Coude FF 1/2 | Elbow, FF 1/2 | Winkelnippel IG 1/2 | Codo, HH 1/2 | 1 |
| 13 | 050 102 401 | Raccord, M 1/2 BSP - M 3/4 NPS | Fitting, double male, 1/2 BSP - 3/4 NPS | Doppelnippel AG 1/2 BSP - 3/4 NPS | Racor, M 1/2 BSP - M 3/4 NPS | 1 |
| | | | | | | |
| 15 | 963 040 019 | Rondelle MN 8 | Washer, MN 8 | Scheibe MN 8 | Arandela, MN 8 | 2 |
| 16 | 953 010 019 | Ecrou HM 8 | Nut, HM 8 | Mutter HM 8 | Tuerca, HM 8 | 2 |
| | | | | | | |
| 17 | 149 596 150 | Canne d'aspiration Ø 25 (Lg. 600 mm) | Suction rod Ø 25 (Length 600 mm) | Saugschlauch Ø 25 (Länge 600 mm) | Caña de aspiración Ø 25 (Longitud 600 mm) | 1 |
| 18 | 149 596 152 | ▪ Crépine Ø 25 | ▪ Strainer Ø 25 | ▪ Siebkörbe Ø 25 | ▪ Piña Ø 25 | 1 |
| | | | | | | |
| 19 | 050 102 437 | Raccord inox, M 1/2 BSP - M 26 x 125 | Fitting, stainless steel, double male, 1/2 BSP - 26 x 125 | Nippel Edelstahl AG 1/2 BSP - M 26 x 1,25 | Racor inox, M 1/2 BSP - M 26 x 125 | 1 |

| | | |
|---|---|-------------------------|
| POMPE MURALE , modèle 40-25 avec filtre | WALL MOUNTED PUMP , model 40-25 with filter | # 151.775.200 |
| WANDANLAGE , Modell 40-25 mit Filter | BOMBA MURAL , tipo 40-25 con filtro | |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|---|--|--|-----|
| - | 151 775 100 | Pompe murale sans filtre | Wall mounted pump without filter | Wandpumpe ohne Filter | Bomba mural sin filtro | 1 |
| 20 | 155 580 400 | Filtre AIRLESS® inox 3/8 (voir Doc. 573.299.050) | AIRLESS filter 3/8, stainless steel (refer to Doc. 573.299.050) | AIRLESS ® Filter 3/8, Edelstahl (siehe Dok. 573.299.050) | Filtro AIRLESS ® inox 3/8 (consultar Doc. 573.299.050) | 1 |
| 21 | 055 580 301 | Manchon inox MM 3/8 NPT | Sleeve, stainless steel MM 3/8 NPT | Muff, Edelstahl AG 3/8 NPT | Manguito inox MM 3/8 NPT | 1 |
| 23 | 049 596 000 | Canne de purge inox | Drain rod, stainless steel | Entleerungsrohr, Edelstahl | Caña de purga inox | 1 |

| | | |
|--------------------------------|--|-------------------------|
| POMPE 40-25 SUR CHARIOT | CART MOUNTED PUMP , model 40-25 | # 151.775.400 |
| PUMPE 40-25 FAHRBAR | BOMBA 40-25 SOBRE CARRETILLA | |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--------------------------|-------------------------------|----------------------|------------------------|-----|
| - | 151 775 200 | Pompe murale avec filtre | Wall mounted pump with filter | Wandpumpe mit Filter | Bomba mural con filtro | 1 |
| - | 051 221 000 | Chariot (2 bras) | Cart (2 arms) | Fahrgestell (2 Arme) | Carretilla (2 brazos) | 1 |

OPTIONS - ON REQUEST - OPTIONEN - OPCIONES

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|---|--|--|-----|
| 17 | 149 596 160 | Canne d'aspiration Ø 25 pour fût 200L (Lg. 1m) | Suction rod Ø 25 for drum 200L (Length : 1m) | Saugschlauch Ø 25 für 200L Fass (Länge : 1m) | Caña de aspiración Ø 25 para bidón de 200L (Longitud : 1m) | 1 |
| 18 | 149 596 152 | ▪ Crépine Ø 25 | ▪ Strainer Ø 25 | ▪ Siebkörbe Ø 25 | ▪ Piña Ø 25 | 1 |
| - | 151 740 200 | Kit air de pulvérisation (voir Doc. 573.035.050) | Atomizing air kit (refer to Doc. 573.035.050) | Zerstäuberluftset (siehe Dok. 573.035.050) | Kit aire de pulverización (consultar Doc. 573.035.050) | 1 |

ACCESOIRES - ACCESSORIES - ZUBEHÖR - ACCESORIOS

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|----------------------------------|-------------------------------|-------------------------------|----------------------------------|-----|
| - | 149 990 020 | Flacon de lubrifiant T (125 ml) | T lubricant (125 ml / 4.4 oz) | Spülmittel T (125 ml) | Botella de lubricante T (125 ml) | 1 |
| - | 044 950 008 | Clé (pour cuve presse-garniture) | Wrench (for wetting cup) | Schlüssel für Spülmitteltasse | Llave (para prensaestopa) | 1 |

* Pièces de maintenance préconisées.

* Preceding the index number denotes a suggested spare part.

* Bezeichnete Teile sind empfohlene Ersatzteile.

* Piezas de mantenimiento preventivas.

Nota : Dans le cas d'une pompe nue pour fixation murale, commander la pompe nue, la plaque d'interface (ind.6) et le support réf. 044.910.121 (rep. 1 - Doc. 573.403.050)


Nota : For a bare pump with wall bracket, order bare pump, plate (ind. 6) and bracket - P.Nº. 044.910.121 (ind. 1 - Doc. 573.403.050)

Hinweiss : Für eine nackte Pumpe mit Wandhalterung, bestellen Sie die nackte Pumpe, die Umsteuerplatte (Pos. 6) und die Halterung Bestell-Nr. 044.910.121 (Pos. 1 - Dok. 573.403.050)

Nota : En caso de una bomba sola con fijación mural, encargue Vd. la bomba sola, la placa (índ. 6) y el soporte con la referencia 044.910.121 (índ. 1 - Doc. 573.403.050).

| | | |
|---|--|---|
| Doc. 573.045.050 Date/Datum/Fecha : 20/05/14 Annule/Cancels/ Ersetzt/Anula : 01/03/12 | Modif. / Änderung : # 146.270.991, # 146.270.995 + Nota / Hinweis + Ind. / Pos. 55 | Pièces de rechange Spare parts list Ersatzteilliste Piezas de repuesto |
|---|--|---|

| | |
|--|---|
| MOTEUR A AIR, modèle 1000-4 & 1000-4T | AIR MOTOR, model 1000-4 & 1000-4T |
| LUFTMOTOR, Modell 1000-4 & 1000-4T | MOTOR DE AIRE, tipo 1000-4 & 1000-4T |



| | | |
|------------------------------------|-----------------------------------|-------------------------|
| MOTEUR A AIR, modèle 1000-4 | AIR MOTOR, model 1000-4 | # 146.275.000 |
| LUFTMOTOR, Modell 1000-4 | MOTOR DE AIRE, tipo 1000-4 | |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|-------------------------------------|---|--------------------------------------|--|-----|
| | | Pièces spécifiques au moteur 1000-4 | Specific parts to the air motor, model 1000-4 | Spezielle Teile für Luftmotor 1000-4 | Partes específicas al motor, tipo 1000-4 | |
| 2 | 046 270 901 | Fond supérieur | Upper flange | Oberer Flansch | Fondo superior | 1 |
| 6 | 046 230 005 | Embase bloc inverseur | Base, reversing-block | Grundplatte, Umsteuerblock | Base bloque inversor | 1 |
| 20 | 046 144 901 | Tube d'alimentation | Tube, connecting | Versorgungsrohr | Tubo de alimentación | 1 |
| 25 | 046 270 903 | Collecteur | Collector | Verbindungsflansch | Colector | 2 |
| 26 | 046 270 904 | Support (silencieux) | Support (silencer) | Halterung (Schalldämpfer) | Soporte (silenciador) | 1 |
| 27 | 046 270 905 | Silencieux (mousse) | Silencer | Schalldämpfer (Schaumstoff) | Silenciador | 1 |
| 28 | 933 151 443 | Vis CHc M 6 x 35 | Screw, CHc M 6 x 35 | Schraube CHc AG 6 x35 | Tornillo, CHc M 6 x 35 | 4 |
| 29 | 933 151 122 | Vis CHc M 6 x 8 | Screw, CHc M 6 x 8 | Schraube CHc AG 6 x 8 | Tornillo, CHc M 6 x 8 | 3 |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|---|--|---|--|-----|
| | | Pièces communes aux moteurs 1000-4 et 1000-4T (turbo) | Common parts to the air motors, model 1000-4 and 1000-4T (turbo) | Gleiche Teile in Motoren 1000-4 und 1000-4T (turbo) | Partes comunes de los motores, tipo 1000-4 y 1000-4T (turbo) | |
| 3 | 146 270 902 | Fond inférieur | Lower flange | Unterer Flansch | Fondo inferior | 1 |
| 4 | 044 570 106 | Bague de guidage | Guide ring | Führungsring | Anillo guía | 1 |
| 5 | 144 579 923 | Bague R 8 bis (pochette de 10) | Ring, R 8 bis (package of 10) | O-Ring R 8 bis (10er Pack) | Anillo R 8 bis (bolsa de 10) | 1 |
| 7 | 109 420 257 | Bague O Ring (pochette de 10) | O Ring (package of 10) | O-Ring (10er Pack) | Anillo O Ring (bolsa de 10) | 3 |
| 8 | 933 151 277 | Vis CHc M 6 x 20 | Screw, CHc M 6 x 20 | Schraube CHc M 6 x 20 | Tornillo CHc M 6 x 20 | 2 |
| *9 | 044 630 400 | Ensemble bloc inverseur (voir Doc. 573.087.040) | Reversing-block (refer to Doc. 573.087.040) | Umsteuerblock komplett (siehe Dok. 573.087.040) | Conjunto bloque inversor (consultar Doc. 573.087.040) | 1 |
| 10 | 930 151 446 | Vis CHc M 8 x 35 | Screw, CHc M 8 x 35 | Schraube CHc M 8 x 35 | Tornillo, CHc M 8 x 35 | 2 |
| 11 | 050 311 232 | Ressort | Spring | Feder | Muelle | 1 |
| 12 | 044 570 131 | Chape femelle | Linkage, female | Verbindungsflansch | Unión hembra | 1 |
| 13 | 044 570 900 | Fourchette de commande équipée | Control fork assembly | Steuergabel; komplett | Horquilla de mando equipada | 1 |
| 14 | 902 202 002 | Anneau truarc | Retaining ring | Sicherungsring | Anillo truarc | 1 |
| 15 | 046 180 003 | Tige de pilotage | Rod, driving | Steuerstange | Eje de mando | 1 |
| 16 | 046 144 907 | Ecrou | Nut | Mutter | Tuerca | 1 |
| 17 | 046 180 007 | Tige de piston | Rod, piston | Kolbenstange | Eje de pistón | 1 |
| 18 | 046 180 010 | Bague de frottement | Seal, ring | Dichtring | Anillo de deslizamiento | 1 |
| 19 | 129 400 902 | Joint (pochette de 10) | Seal (package of 10) | O-Ring (10er Pack) | Junta (bolsa de 10) | 4 |
| 21 | 000 323 716 | Contre écrou inférieur | Lower locknut | Untere Kontermutter | Contratuerca inferior | 1 |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|---|--|---|---|-----|
| | | Pièces communes aux moteurs 1000-4 et 1000-4T (suite) | Common parts to the air motors, model 1000-4 and 1000-4T (follow up) | Gleiche Teile in Motoren 1000-4 und 1000-4T (Fortsetzung) | Partes comunes de los motores, tipo 1000-4 y 1000-4T (a continuación) | |
| 22 | 044 710 007 | Tirant | Tie-rod | Bolzen | Tirante | 6 |
| 23 | 963 040 019 | Rondelle MN 8 | Washer, MN 8 | Scheibe MN 8 | Arandela MN 8 | 6 |
| 24 | 953 010 019 | Ecrou HM 8 | Nut, HM 8 | Mutter HM 8 | Tuerca HM 8 | 6 |
| 32 | 046 180 006 | Capot moteur | Cover, air motor | Motorhaube | Campana del motor | 1 |
| 33 | 933 151 497 | Vis CHc M 6 x 40 | Screw, CHc M 6 x 40 | Schraube CHc M 6 x 40 | Tornillo CHc M 6 x 40 | 3 |
| 36 | 909 420 291 | Joint | Seal | O-Ring | Junta | 1 |
| *40 | 046 275 001 | Cylindre | Cylinder | Zylinder | Cilindro | 1 |
| 41 | 100 940 470 | Joint de cylindre (x 10) | Seal, cylinder (x 10) | O-Ring, Zylinders (10 St.) | Junta de cilindro (x 10) | 2 |
| 42 | 046 144 908 | Ecrou de piston | Nut, piston | Kolbenmutter | Tuerca de pistón | 1 |
| 43 | 000 323 717 | Piston | Piston | Kolben | Pistón | 1 |
| 44 | 046 275 002 | Virole | Muffler | Muffe | Virola | 1 |
| - | 901 180 024 | Cable de mise à la terre (Lg. 5 m) | Ground (Length 5 m / 16 ft) | Erdungskabel (Länge 5m) | Cable de puesta a tierra (5 m de largo) | 1 |
| - | 963 300 016 | Rondelle | Washer | Scheibe | Arandela | 1 |
| - | 934 011 196 | Vis Hc 6 x 16 | Screw Hc 6 x 16 | Schraube Hc 6 x 16 | Tornillo Hc 6 x 16 | 1 |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|---|---|---|--|-----|
| * | 146 270 991 | Pochette de joints moteur (ind. 5, 7(x3), 11, 18, 19(x5), 36, 41(x2) + pochette de joints inverseur) | Package of seals of the air motor (ind. 5, 7(x3), 11, 18, 19(x5), 36, 41(x2) + package of seals of the reversing block) | Dichtungssatz für Motor (Pos. 5, 7(x3), 11, 18, 19(x5), 36, 41(x2) + Dichtungssatz für Umsteuerblock) | Bolsa de juntas motor (ind. 5, 7(x3), 11, 18, 19(x5), 36, 41(x2) + bolsa de juntas del inversor) | 1 |
| * | 146 270 995 | Pochette de maintenance (ind. 4, 43 + pochette de joints moteur + ind. 2, 4, 7, 8, 13 de l'inverseur) | Servicing kit (ind. 4, 43, + package of seals of the air motor + ind. 2, 4, 7, 8, 13 of the reversing block) | Servicekit (Pos. 4, 43 + Dichtungssatz für Motor + 2, 4, 7, 8, 13 für Umsteuerblock) | Bolsa de mantenimiento (ind. 4, 43 + bolsa de juntas motor + ind. 2, 4, 7, 8, 13 del inversor) | 1 |

* Pièces de maintenance préconisées.

* Preceding the index number denotes a suggested spare part.

* Bezeichnete Teile sind empfohlene Ersatzteile.

* Piezas de mantenimiento preventivas.


Nota : Ne monter l'ind. 2 (bague de guidage du bloc inverseur) contenu dans la pochette de maintenance 146 270 995 que pour les pompes avec numéros de série < 14 AJ 1008, < 14 H 1110, < 14 AF 1025 et/ou si votre bloc inverseur ne comporte pas de R.

Nota : Install ind. 2 (guide ring of the reversing-block) of the servicing kit 146 270 995 only for the pumps with serial numbers < 14 AJ 1008, < 14 H 1110, < 14 AF 1025 and/or if your reversing-block does not have R.

Hinweis: Die Pos. 2 (Führungsring Umsteuerblock) vom Servicekit 146 270 995, nur bei den Pumpen mit den Serien Nummern < 14 AJ 1008, < 14 H 1110, < 14 AF 1025 und/oder bei den Umsteuerblocks ohne R Markierung, montieren.

Nota : Montar el ind. 2 (anillo guía del bloque inversor) que está en la bolsa de mantenimiento 146 270 995 para las bombas con números de serie < 14 AJ 1008, < 14 H 1110, < 14 AF 1025 y/o si su bloque inversor no tiene R.


| | | |
|---|--|-------------------------|
| MOTEUR A AIR, modèle 1000-4T (turbo) | AIR MOTOR, model 1000-4T (turbo) | # 146.276.000 |
| LUFTMOTOR, Modell 1000-4T (turbo) | MOTOR DE AIRE, tipo 1000-4T turbo | |



| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|---|--|--|--|-----|
| | | Pièces spécifiques au moteur 1000-4T | Specific parts to the air motor, model 1000-4T | Spezielle Teile für Luftmotor 1000-4T | Partes específicas al motor, tipo 1000-4T | |
| 2 | 046 271 001 | Fond supérieur | Upper flange | Oberer Flansch | Fondo superior | 1 |
| 6 | 046 271 002 | Embase bloc inverseur | Base, reversing block | Grundplatte, Umsteuerblock | Base, bloque inversor | 1 |
| 50 | 903 050 511 | Distributeur 5/2 - T3 | Distributor, 5/2 - T3 | Verteiler 5/2 - T3 | Distribuidor, 5/2 - T3 | 1 |
| 51 | 046 271 004 | Embase distributeur | Base, distributor | Grundplatte, Verteiler | Base distribuidor | 1 |
| 52 | 906 333 105 | Bouchon 3/4 BSP (pour embase) | Plug, 3/4 BSP (for base) | Stopfen 3/4 BSP (für Grundplatte) | Tapón 3/4 BSP (para base) | 4 |
| 53 | 930 151 548 | Vis CHc M 6 x 50 | Screw, CHc M 6 x 50 | Schraube CHc M 6 x 50 | Tornillo CHc M 6 x 50 | 4 |
| 54 | 905 120 905 | Raccord coudé M 1/4 BSP - T 4x6 | Elbow fitting, M 1/4 BSP - T 4x6 | Winkelnippel AG 1/4 BSP - T 4 x 6 | Racor acodado M 1/4 BSP - T 4x6 | 5 |
| 55 | 050 371 001 | Tuyau 4x6 (lg. 25 m) | Hose, 4x6 (length : 25 m / 984") | Schlauch 4x6 (Länge 25 m) | Tubería 4x6 (25 m de largo) | 1 |
| 56 | 046 250 015 | Silencieux | Silencer | Schalldämpfer | Silenciador | 1 |
| 58 | 050 102 215 | Raccord MM 3/4 BSP | Fitting, double male, 3/4 BSP | Nippel AG 3/4 BSP | Racor, MM 3/4 BSP | 1 |
| 59 | 904 123 006 | Coude 3/4 | Elbow, 3/4 | Winkel 3/4 | Codo 3/4 | 1 |
| 60 | 050 102 634 | Raccord M 3/4 BSP - 3/4 NPS (alimentation en air) | Fitting, M 3/4 BSP - 3/4 NPS (air supply) | Nippel AG 3/4 BSP - 3/4 NPS (Luftversorgung) | Racor M 3/4 BSP - 3/4 NPS (alimentación en aire) | 1 |

| | | |
|--|--|---|
| Doc. 573.087.040 Date/Datum/Fecha : 03/06/14 Annule/Cancels/ Ersetzt/Anula : 03/01/14 | Modif. / Änderung : Eclaté / Exploded view / Explosions- zeichnung / Vista | Pièces de rechange Spare parts list Ersatzteilliste Piezas de repuesto |
|--|--|---|

| | | |
|---------------------------------|------------------------------------|------------------|
| BLOC INVERSEUR UMSTEUERBLOCK | REVERSING-BLOCK BLOQUE INVERSOR | # 044.630.400 |
|---------------------------------|------------------------------------|------------------|



| | | |
|-----------------------|------------------------|--------------------------------|
| BLOC INVERSEUR | REVERSING-BLOCK | # 044.630.400 |
| UMSTEUERBLOCK | BLOQUE INVERSOR | |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|---|--|--|-----|
| * | 144 630 410 | Corps équipé | Block assembly, reversing | Umsteuerblock komplett | Cuerpo equipado | 1 |
| 1 | N C / N S | ▪ Corps | ▪ Body | ▪ Körper | ▪ Cuerpo | 1 |
| 2 | N C / N S | ▪ Bague de guidage | ▪ Guide ring | ▪ Führungsbuchse | ▪ Anillo guía | 1 |
| 3 | N C / N S | ▪ Goupille Ø 4 x 8 | ▪ Pin Ø 4 x 8 | ▪ Splint Ø 4 x 8 | ▪ Pasador Ø 4 x 8 | 1 |
| - | N C / N S | ▪ Butée (collée sur corps ind.2) | ▪ Stop (glued on part ind. 2) | ▪ Anschlag (auf Körper geklebt ind. 2) | ▪ Tope (pegado en cuerpo ind. 2) | 2 |
| - | N C / N S | ▪ Roulement à bille | ▪ Ball bearing | ▪ Kugellager | ▪ Rodamiento de bolas | 1 |
| | | | | | | |
| *6 | 144 579 912 | Joint de glace fixe (x 10) | Gasket seal (x 10) | Flachdichtung (x 10) | Junta de espejo fijo (x 10) | 1 |
| *7 | 046 170 508 | Glace fixe | Base, fixed | Ventilplatte | Espejo fijo | 1 |
| *8 | 044 570 324 | Glace mobile | Base, mobile | Ventilschieber | Espejo móvil | 1 |
| 9 | 044 570 325 | Clavette | Pin | Paßfeder (Keil) | Pasador | 1 |
| 10 | 921 140 102 | Ressort | Spring | Feder | Muelle | 1 |
| 11 | 044 571 006 | Butée de ressort | Stop, spring | Federführung | Tope de muelle | 1 |
| *12 | 144 579 922 | Bague R 10 (x 10) | Ring, R 10 (x 10) | O Ring R 10 (x 10) | Anillo, R 10 (x 10) | 3 |
| *13 | 144 579 911 | Goupille fendue (pochette de 10 goupilles + 1 butée ind. 11) | Pin (package of 10 pins + 1 stop ind. 11) | Splint (Satz à 10 Stück + 1 Führung Pos. 11) | Pasador (bolsa de 10 pasadores + 1 tope ind. 11) | 1 |
| *14 | 144 579 910 | Bague R 6a (x 10) | Ring, R 6a (x 10) | O Ring, R 6a (x 10) | Anillo, R 6a (x 10) | 1 |
| *15 | N C / N S | Joint de couvercle | Seal, cover | Deckeldichtung | Junta de tapa | 1 |
| 16 | 144 630 415 | Couvercle | Cover | Deckel | Tapa | 1 |
| 17 | 933 151 277 | Vis CHc M 6x20 | Screw, CHc M 6x20 | Schraube, CHc M 6x20 | Tornillo, CHc M 6x20 | 4 |
| 18 | 906 333 102 | Bouchon 1/4 BSP | Plug, 1/4 BSP | Blindstopfen, 1/4 BSP | Tapón, 1/4 BSP | 1 |
| 19 | 046 170 510 | Levier | Lever, control | Umsteuerhebel | Leva | 1 |

| | | | | | | |
|---|-------------|---|---|--|--|---|
| * | 146 270 950 | Pochette de joints (ind. 6, 12(x3), 14, 15) | Package of seals (ind. 6, 12(x3), 14, 15) | Dichtungssatz (bestehend aus Pos. 6, 12(x3), 14, 15) | Bolsa de juntas (índ. 6, 12(x3), 14, 15) | 1 |
| * | 144 630 425 | Pochette de maintenance glaces (ind. 7, 8) | Servicing kit - bases (ind. 7, 8) | Servicekit - Ventil (Pos. 7, 8) | Bolsa de mantenimiento - espejos (ind. 7, 8) | 1 |

* Pièces de maintenance préconisées.

N C : Non commercialisé.

* Preceding the index number denotes a suggested spare part.

N S : Denotes parts are not serviceable.

* Bezeichnete Teile sind empfohlene Ersatzteile.


N S : Bezeichnete Teile gibt es nicht einzeln, sondern nur

komplett .

N S : no suministrado.

| | | |
|---|--|---|
| Doc. 573.032.050 Date/Datum/Fecha : 02/01/14 Annule/Cancels/ Ersetzt/Anula : 01/03/12 | Modif. / Änderung : # Ind. 17 (907 414 123 → 907 414 623 - options / on request / optional / opciones) | Pièces de rechange Spare parts list Ersatzteilliste Piezas de repuesto |
|---|--|---|

| | |
|---|--|
| HYDRAULIQUE, modèle 25 (garniture mobile avec joint GT) | FLUID SECTION, model 25 (mobile GT packing with GT seal) |
| HYDRAULIKTEIL, Modell 25 (mobile Packung mit GT-Dichtung) | HIDRÁULICA, tipo 25 (guarnición móvil con junta GT) |



Hydraulique avec joint GT (à partir de la pompe N° série : 77 379)
Fluid section with GT seal (from pump serie N°: 77 379)
Hydraulikteil mit GT-Dichtung (ab Pumpe N° 77 379)
Hidráulica con junta GT (a partir de la bomba con el N° de serie : 77 379)


| | | |
|-----------------------------------|--|--------------------------------|
| HYDRAULIQUE 25 INOX | FLUID SECTION, MODEL 25 STAINLESS STEEL | # 144.950.000 |
| HYDRAULIKTEIL 25 EDELSTAHL | HIDRÁULICA 25 INOX | |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----------|--------------------|--|---|---|---|----------|
| 1 | 044 950 001 | Bride supérieure | Upper flange | Oberer Flansch | Brida superior | 1 |
| *2 | 044 950 002 | Cylindre | Cylinder | Materialzylinder | Cilindro | 1 |
| *3 | 044 950 003 | Piston | Piston | Materialkolben | Pistón | 1 |
| 4 | 044 950 004 | Cuve presse-garniture | Wetting-cup | Spülmitteltasse | Cubeta prensa-guarnición | 1 |
| | | | | | | |
| 5 | 044 950 010 | Clapet d'aspiration assemblé | Suction valve assembly | Ansaugventil, komplett | Válvula aspiración completa | 1 |
| 9 | 044 550 029 | ▪ Jorc | ▪ Rush | ▪ Sicherungsring | ▪ Anillo de retención bola | 1 |
| 10 | 907 414 242 | ▪ Bille Ø 16, inox 440C | ▪ Ball Ø 16 (5/8"), stainless steel 440C | ▪ Kugel, Ø 16, Edelstahl 440C | ▪ Bola Ø 16, inox 440C | 1 |
| 25 | 050 040 318 | ▪ Joint torique | ▪ O-Ring | ▪ O-Ring | ▪ Junta O Ring | 1 |
| 26 | NC / NS | ▪ Corps de clapet | ▪ Valve body | ▪ Saugventil | ▪ Cuerpo de válvula | 1 |
| | | | | | | |
| 6 | 044 950 215 | Clapet de refoulement | Exhaust valve | Druckventil | Válvula de expulsión | 1 |
| 7 | 044 950 007 | Presse-garniture mobile | Wetting-cup, mobile | Spülmitteltasse, mobil | Prensa-guarnición móvil | 1 |
| 8 | 050 040 317 | Joint torique | O Ring | O-Ring | Junta O Ring | 1 |
| 13 | 909 150 214 | Joint GT inférieur (garniture mobile) | Seal GT lower (mobile packing) | Unterer GT-Dichtung (mobile Packung) | Junta GT inferior (guarnición móvil) | 1 |
| 17 | 907 414 223 | Bille Ø 9,52, inox 440C | Ball Ø 9,52 (3/8"), stainless steel 440C | Kugel, Ø 9,52, Edelstahl 440C | Bola Ø 9,52, inox 440C | 1 |
| | | | | | | |
| 18 | - | Garniture supérieure | Upper packing | Obere Packung | Guarnición superior | 1 |
| 19 | 044 790 011 | ▪ Bague male, polyacetal | ▪ Male ring, polyacetal | ▪ Unterer Stützring aus Polyacetal | ▪ Anillo macho, poliacetale | 1 |
| 20 | 044 791 012 | ▪ Bague femelle, inox | ▪ Female ring, inox | ▪ Oberer Stützring aus Edelstahl | ▪ Anillo hembra, inox | 1 |
| 21 | 909 050 915 | ▪ Joint chevron, polyfluid | ▪ Chevron seal, polyfluid | ▪ Packungsring aus Polyfluid | ▪ Junta chevrón, polifluida | 2 |
| 22 | 044 790 013 | ▪ Joint chevron, PTFEG | ▪ Chevron seal, PTFEG | ▪ Packungsring aus PTFEG | ▪ Junta chevrón, PTFEG | 3 |
| | | | | | | |
| 23 | 144 950 012 | Bouchon de vidange | Drain plug | Ablaßschraube | Tapón de vaciado | 1 |
| 24 | 109 020 401 | ▪ Joint plat (x 5) | ▪ Flat seal (x 5) | ▪ Flachdichtung (5 Stück) | ▪ Junta plana (bolsa de 5) | 1 |

OPTIONS - ON REQUEST - OPTIONEN - OPCIONES

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|---------------------------------------|---------------------------------------|-----------------------------------|-----------------------------------|-----|
| 10 | 907 414 142 | Bille Ø 16 inox 316 | Ball Ø 16, 316 (stainless steel) | Kugel (Edelstahl), Ø 16, 316 | Bola Ø 16, inox, 316 | 1 |
| 17 | 907 414 623 | Bille Ø 9,52 inox 316 | Ball Ø 9,52, 316 (stainless steel) | Kugel (Edelstahl), Ø 9,52, 316 | Bola Ø 9,52, inox, 316 | 1 |
| 18 | 144 950 100 | Cartouche supérieure avec joint GT | Upper packing with GT seal | Obere Packung, GT-Dichtung | Cartucho superior con junta GT | 1 |
| 22 | 909 051 103 | Joint chevron, PE | Chevron seal, PE | Packungsring, PE | Junta chevrón, PE | 3 |

ACCESOIRES - ACCESSORIES - ZUBEHÖR - ACCESORIOS



| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|------------------------------------|----------------------------------|-------------------------------|-------------------------------------|-----|
| - | 149 990 020 | Flacon de lubrifiant T (125 ml) | T lubricant (125 ml / 4.4 oz) | Spülmittel T (125 ml) | Botella de lubricante T (125 ml) | 1 |
| 31 | 044 950 008 | Clé (pour cuve presse-garniture) | Wrench (for wetting cup) | Schlüssel für Spülmitteltasse | Llave (para prensaestopa) | 1 |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|--|---|---|-----|
| * | 144 950 091 | Pochette de joints (ind. 8, 9, 10, 13, 17, 19, 21(x2), 22(x3), 24, 25) | Package of seals (ind. 8, 9, 10, 13, 17, 19, 21(x2), 22(x3), 24, 25) | Dichtungssatz für Hydraulikteil (beinhaltet Pos. 8, 9, 10, 13, 17, 19, 21(x2), 22(x3), 24, 25) | Bolsa de juntas (índ. 8, 9, 10, 13, 17, 19, 21(x2), 22(x3), 24, 25) | 1 |
| * | 144 950 096 | Pochette de maintenance (ind. 5, 6 + pochette de joints) | Servicing kit (ind. 5, 6 + package of seals) | Servicekit für Hydraulikteil (beinhaltet Pos. 5, 6 und den Dichtungssatz) | Bolsa de mantenimiento (índ. 5, 6 + bolsa de juntas) | 1 |

* Pièces de maintenance préconisées.

N C : Non commercialisé.

* Preceding the index number denotes a suggested spare part.

N S : Denotes parts are not serviceable.

* Bezeichnete Teile sind empfohlene Ersatzteile.


N S : Bezeichnete Teile gibt es nicht einzeln, sondern nur

* Piezas de mantenimiento preventivas.

komplett .

N S : no suministrado.

| | |
|---|--|
| OPTION : Pièces spécifiques pour garniture mobile avec joints chevrons | OPTION : Specific parts for mobil packing with chevron seals |
| OPTION : Spezielle Teile für mobile Packung mit Packungsringen | OPCIÓN : Partes específicas para guarnición móvil con juntas de chevrón |




| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|--|--|---|-----|
| 6 | 044 950 011 | Clapet de refoulement | Exhaust valve | Druckventil | Válvula de expulsión | 1 |
| 12 | 044 790 006 | Rondelle male, polyacétal | Male washer, polyacetale | Scheibe, AG, aus Polyacetal | Arandela macho, poliacetale | 1 |
| 13 | 044 790 007 | Rondelle femelle, polyacetal | Female washer, polyacetale | Scheibe, IG, aus Polyacetal | Arandela hembra, poliacetale | 1 |
| 14 | 044 790 008 | Joint chevron, PTFEG | Chevron seal, PTFEG | Packungsring, PTFEG | Junta chevrón, PTFEG | 2 |
| 15 | 909 051 104 | Joint chevron, PE | Chevron seal, PE | Packungsring, PE | Junta chevrón, PE | 2 |
| 16 | 044 790 015 | Rondelle de calage, inox (facultative) | Set ring, stainless steel (optional) | Stützscheibe, Edelstahl (fakultativ) | Arandela, inox (facultativa) | 1 |
| * | 144 950 090 | Pochette de joints (ind. 8, 9, 10, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24, 25) | Package of seals (ind. 8, 9, 10, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24, 25) | Dichtungssatz für Hydraulikteil (beinhaltet Pos. 8, 9, 10, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24, 25) | Bolsa de juntas (índ. 8, 9, 10, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24, 25) | 1 |
| * | 144 950 095 | Pochette de maintenance (ind. 5, 6 + pochette de joints) | Servicing kit (ind. 5, 6 + package of seals) | Servicekit für Hydraulikteil (beinhaltet Pos. 5, 6 und den Dichtungssatz) | Bolsa de mantenimiento (índ. 5, 6 + bolsa de juntas) | 1 |

| | | |
|--|---|---|
| Doc. 573.403.050 Date/Datum/Fecha : 09/06//11 Annule/Cancels/ Ersetzt/Anula : 11/08/08 | Modif. /Änderung : Mise à jour / Update / Aktualisierung / Actualización | Pièces de rechange Spare parts list Ersatzteilliste Piezas de repuesto |
|--|---|---|

EQUIPEMENT D'AIR / AIR SUPPLY / LUFTAUSRÜSTUNG / EQUIPO DE AIRE

Avec 1 détendeur / with 1 air regulator / mit 1 Druckminderer / con 1 manorreductor ,
Mod. 1/2"

➤ Moteur / Motor, Mod. 1000-4 & 2000-4

Pièces communes - Common parts - Gleiche Teile - Partes comunes


| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|---|---|--|-----|
| 1 | 044.910.121 | Support pompe équipé | Pump bracket assembly | Komplette Pumpenhalterung | Soporte de bomba equipado | 1 |
| 2 | 044.910.122 | ▪ Support pompe | ▪ Pump bracket | ▪ Pumpenhalterung | ▪ Soporte de bomba | 1 |
| 3 | 051.751.011 | ▪ Support équipement d'air | ▪ Air supply bracket | ▪ Luftausrüstungs-halterung | ▪ Soporte equipo de aire | 1 |
| 4 | 144.910.129 | ▪ Pochette de 4 vis, 4 écrous, 4 rondelles | ▪ Pack of 4 screws, 4 nuts, 4 washers | ▪ Satz à 4 Schrauben, 4 Muttern, 4 Scheiben | ▪ Bolsa de 4 tornillos, 4 tuercas, 4 arandelas | 2 |
| * 7 | 016.470.000 | Détendeur d'air 1/2 – 0-10 bar – (rouge) | Air regulator, 1/2 – 0-10 bar / 0-145 psi – (red) | Druckminderer, 1/2 – 0-10 bar (rot) | Manorreductor, 1/2 – 0-10 bar (rojo) | 1 |

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|------------------------------------|---|---|---------------------------------------|-----|
| * 8 | 910.011.402 | Manomètre 0 - 10 bar | Gauge 0 - 10 bar / 0 - 145 psi | Manometer, 0-10 bar | Manómetro, 0-10 bar | 1 |
| 12 | 552 436 | Té F 1/4" | Tee, F 1/4" | T-Stück , F 1/4" | Te, H 1/4" | 1 |
| 13 | 552 475 | Raccord M 1/4" – M 1/2" | Fitting, double male, M 1/4" – M 1/2" | Doppelnippel, AG 1/4" – AG 1/2" | Racor, M 1/4" – M 1/2" | 1 |
| 14 | 552 486 | Manchon 1/4" | Sleeve, 1/4" | Muffe 1/4" | Manguito 1/4" | 1 |
| 15 | 552 474 | Raccord M 1/2" - M 3/4" | Fitting, double male, 1/2" - 3/4 " | Doppelnippel, AG 1/2 " – AG 3/4 " | Racor, M 1/2 "- M 3/4 " | 1 |
| 16 | 903.090.208 | Robinet F 3/4 BSP | Valve, F 3/4 BSP | Absperrhahn, F 3/4 BSP | Grifo, H 3/4 BSP | 1 |
| 17 | 903.080.401 | Soupe de décharge - tarage 6,5 bar | Discharge valve - setting 6,5 bar /94 psi | Sicherheitsventil – eingestellt 6,5 bar | Válvula de seguridad - tarado 6,5 bar | 1 |
| 18 | 552 438 | Té F 1/2" | Tee, F 1/2" | T-Stück , F 1/2" | Te, H 1/2" | 1 |

Pièces spécifiques - Specific parts - Spezifische Teile - Partes específicas

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|---------------------------------------|--|--|---|-----|
| 19 | 050.102.401 | Raccord M 1/2 BSP - M 3/4 NPS | Adaptor M 1/2 BSP - M 3/4 NPS | Nippel M 1/2 BSP - M 3/4 NPS | Racor M 1/2 BSP - M 3/4 NPS | 1 |
| 20 | 050.383.109 | Tuyau Ø int. 16 (avec écrous 3/4 NPS) | Hose Ø 16 ID / 3/8 dia. (with nuts, 3/4 NPS) | Schlauch Ø 16 ID (mit Muttern 3/4 NPS) | Tubería Ø int. 16 (con tuercas 3/4 NPS) | 1 |

➤ Moteur / Motor, Mod. 500-4



Pièces spécifiques - Specific parts - Spezifische Teile - Partes específicas

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|--|--|---|-----|
| 19 | 050.102.633 | Raccord M 1/2 BSP - M 1/4 NPS | Adaptor M 1/2 BSP - M 1/4 NPS | Nippel M 1/2 BSP - M 1/4 NPS | Racor M 1/2 BSP - M 1/4 NPS | 1 |
| 20 | 539.310.101 | Tuyau polyuréthane noir T 8x12 - long. 0,4 m | Hose (black), polyurethane T 8x12 - Length 0.4 m / 15.75 " | Schwarzer Schlauch aus Polyurethan T 8x12 – L. 0,4 m | Tubería poliuretano (negra) T 8x12 - 0,4 m de largo | 1 |
| 21 | 050.231.702 | Raccord droit avec écrou 1/4 NPS | Straight fitting with nut 1/4 NPS | Gerader Nippel mit Mutter 1/4 NPS | Racor recto con tuerca 1/4 NPS | 1 |


Nota : Pour les références commençant par 5, préciser la longueur à la commande.

Nota : When ordering a spare part whose the first digit is 5, specify the required length.

Hinweis : Bei Artikel-Nummern, die mit einer 5 beginnen, muss die Länge angegeben werden.

Nota : Cuando encarga Vd. una pieza de repuesto que empieza por un 5, precíse Vd. la longitud necesaria.


> Moteur / Motor, Mod. 2000-2



Pièces spécifiques - Specific parts - Spezifische Teile - Partes específicas

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|---|---|--|-----|
| 19 | 050.102.629 | Raccord M 1/2 BSP - M 3/8 NPS | Adaptor M 1/2 BSP - M 3/8 NPS | Nippel M 1/2 BSP - M 3/8 NPS | Racor M 1/2 BSP - M 3/8 NPS | 1 |
| 20 | 050.381.507 | Tuyau Ø int. 10 (avec écrous 3/8 NPS) | Hose Ø 10 ID / 3/8 dia. (with nuts, 3/8 NPS) | Schlauch Ø 10 ID (mit Muttern 3/8 NPS) | Tubería Ø int. 10 (con tuercas 3/8 NPS) | 1 |

> Moteur / Motor, Mod. 1000-4 T & 2000-4 T



Pièces spécifiques - Specific parts - Spezifische Teile - Partes específicas


| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|------|-------------|---------------------------------------|--|--|---|-----|
| 18 | 552 438 | Té FFF 1/2" | Tee, FFF 1/2" | T-Stück , IG 1/2 " | Te, HHH 1/2" | 1 |
| 19 | 050.102.401 | Raccord M 1/2 BSP - M 3/4 NPS | Adaptor M 1/2 BSP - M 3/4 NPS | Nippel M 1/2 BSP - M 3/4 NPS | Racor M 1/2 BSP - M 3/4 NPS | 1 |
| 20 | 050.383.104 | Tuyau Ø int. 16 (avec écrous 3/4 NPS) | Hose Ø 16 ID / 3/8 dia. (with nuts, 3/4 NPS) | Schlauch Ø 16 ID (mit Muttern 3/4 NPS) | Tubería Ø int. 16 (con tuercas 3/4 NPS) | 1 |
| 20 | 904.653.004 | Raccord MM 1/2 BSP | Fitting, double male, 1/2 " BSP | Doppelnippel, AG 1/2 " | Racor, MM 1/2 BSP | 1 |
| 23 | 552 411 | Réduction M 1/2" - F 1/4" | Adapter M 1/2" - F 1/4" | Reduziernippel AG 1/2" – IG 1/4" | Reducción M 1/2" - H 1/4" | 1 |
| * 24 | 903.130.508 | Régulateur de pression | Pressure regulator | Druckventil | Regulator de presión | 1 |
| 25 | 539.090.115 | Tuyau Ø 4 x 6 - long. 0,5 m | Hose Ø 4 x 6 - length 0,5 m / 20" | Schlauch Ø 4 x 6 – Länge : 0,5 m | Tubería Ø 4 x 6 - 0,5 m de largo | 1 |
| 26 | 050.102.634 | Raccord M 3/4NPS – M 3/4G | Fitting, double male, 3/4NPS –3/4G | Doppelnippel, AG3/4NPS – AG3/4G | Racor, M 3/4NPS – M 3/4G | 1 |
| 27 | 552 429 | Coude FF 3/4" | Elbow, FF 3/4" | Winkelnippel, IG 3/4" | Codo, FF 3/4" | 1 |
| 28 | 050.102.215 | Raccord MM 3/4" | Fitting, double male, 3/4" | Doppelnippel, AG 3/4 " – AG 3/4 " | Racor MM 3/4" | 1 |

Nota : Pour les références commençant par 5, préciser la longueur à la commande.

Nota : When ordering a spare part whose the first digit is 5, specify the required length.

Hinweis : Bei Artikel-Nummern, die mit einer 5 beginnen, muss die Länge angegeben werden.


Nota : Cuando encarga Vd. una pieza de repuesto que empieza por un 5, precise Vd. la longitud necesaria.



- * Pièces de maintenance préconisées tenues en stock
- * Preceding the index number denotes a suggested spare part.
- * Bezeichnete Teile sind empfohlene Ersatzteile.
- * Piezas de mantenimiento preventivas a tener en stock.

| | | |
|--|--|---|
| Doc. 573.299.050 Date/Datum/Fecha : 10/06/11 Annule/Cancels/ Ersetzt/Anula : 07/10/04 | Modif. /Änderung : Mise à jour / Update / Aktualisierung / Actualización | Pièces de rechange Spare parts list Ersatzteilliste Piezas de repuesto |
|--|--|---|

| | |
|---|--|
| FILTRE PRODUIT HP, modèle 3/8 inox | HP FLUID FILTER, model 3/8 stainless steel |
| HP MATERIALFILTER, Modell 3/8 Edelstahl | FILTRO PRODUCTO HP, tipo 3/8 inox |



| | |
|---|--|
| FILTRE EQUIPÉ pour pompes AIRMIX® | FILTRE EQUIPÉ pour pompes AIRLESS® |
| EQUIPPED FILTER for AIRMIX® pumps | EQUIPPED FILTER for AIRLESSpumps |
| AUSGERÜSTETER FILTER für AIRMIX®-Pumpen | AUSGERÜSTETER FILTER für AIRLESS®-Pumpen |
| FILTRO EQUIPADO para bombas AIRMIX® | FILTRO EQUIPADO para bombas AIRLESS® |
| # 155.580.300 | # 155.580.400 |

PIECES COMMUNES - COMMON PARTS - GLEICHE TEILE - PARTES COMUNES

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|-------------------------------------|--|---|------------------------------------|-----|
| * 1 | 155.580.200 | Filtre nu inox | Bare filter, stainless steel | Nackter Filter - Edelstahl | Filtro solo, inox | 1 |
| 2 | 905.210.304 | Bouchon inox 3/8 NPT | Plug , stainless steel 3/8 NPT | Blinstopfen - Edelstahl 3/8 NPT | Tapón de inox 3/8 NPT | 1 |
| 3 | 906.314.204 | Raccord inox M 1/4 - M 3/8 | Fitting, double male, 1/4 – 3/8 | Doppelnippel AG 1/4 - AG 3/8 | Racor inox, M 1/4 - M 3/8 | 1 |
| * 4 | 000.750.040 | Vanne HP FF 3/8 BSP | HP valve FF 3/8 BSP | Kugelhahn, IG 3/8 BSP | Válvula, HH 3/8 BSP | 1 |
| 5 | 050.102.411 | Raccord inox M 18 x 125 - M 3/8 BSP | Adaptor, stainless steel, double male 18x125 - 3/8BSP | Doppelnippel - Edelstahl AG 3/8 BSP - M 18x1,25 | Racor inox, M 18 x 125 - M 3/8 BSP | 1 |
| 6 | 905.210.503 | Raccord inox M 3/8 NPT - M 1/2 JIC | Adaptor, stainless steel, double male, 3/8 NPT - # 5 JIC (1/2 JIC) | Doppelnippel Edelstahl 3/8 NPT - 1/2 JIC | Racor, inox M 3/8 NPT - M 1/2 JIC | 1 |

PIECES SPECIFIQUES - SPECIFIC PARTS - SPEZIELLE TEILE - PARTES ESPECIFICAS

⇒ Filtre / Filter / Filtro # 155.580.300

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--------------------|-------------------------------|----------------------------------|--------------------|-----|
| * 7 | 000.161.106 | Tamis n° 6 (168 µ) | Screen n° 6 (168 µ - 85 Mesh) | Filterelement Sieb Nr. 6 (168 µ) | Tamiz n° 6 (168 µ) | 1 |

⇒ Filtre / Filter / Filtro # 155.580.400

| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|---------------------|--------------------------------|-----------------------------------|---------------------|-----|
| * 7 | 000.161.112 | Tamis n° 12 (280 µ) | Screen n° 12 (280 µ - 55 Mesh) | Filterelement Sieb Nr. 12 (280 µ) | Tamiz n° 12 (280 µ) | 1 |


* Pièces de maintenance préconisées tenues en stock

* Preceding the index number denotes a suggested spare part.

* Bezeichnete Teile sind empfohlene Ersatzteile.

* Piezas de mantenimiento preventivas a tener en stock.

| | | |
|----------------------------|------------------------------|-------------|
| FILTRE NU (sans tamis) | BARE FILTER (without screen) | # |
| NACKTER FILTER (ohne Sieb) | FILTRO SOLO (sin tamiz) | 155.580.200 |



| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|------|-------------|------------------|------------------|------------------------|---------------------|-----|
| 11 | 055.580.201 | Embase 3/8 | Base, model 3/8 | Grundblock, Modell 3/8 | Base, tipo 3/8 | 1 |
| 12 | 055.580.202 | Cuve | Bowl | Filterglocke | Cubeta | 1 |
| 13 | 055.280.002 | Ecrou | Nut | Überwurfmutter | Tuerca | 1 |
| 14 | 055.190.007 | Jonc | Stop ring | Sicherungsring | Clips | 1 |
| 15 | 055.190.005 | Ressort | Spring | Feder | Muelle | 1 |
| * 16 | 150.040.327 | Joint (les 5) | Seal (pack of 5) | Dichtung (5 St.) | Junta (bolsa de 5) | 1 |
| 17 | 049.030.018 | Clé de démontage | Wrench | Schlüssel | Llave de desmontaje | 1 |


A LA DEMANDE - ON REQUEST - AUF WUNSCH - A PETICIÓN

Ind. 7



| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|----------|--------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------|
| - | 000.161.101 | Tamis n° 1 (37 µ) | Screen n° 1 (37 µ) | Sieb Nr. 1 (37 µ) | Tamiz n° 1 (37 µ) | 1 |
| - | 000.161.102 | Tamis n° 2 (77 µ) | Screen n° 2 (77 µ) | Sieb Nr. 2 (77 µ) | Tamiz n° 2 (77 µ) | 1 |
| - | 000.161.104 | Tamis n° 4 (99 µ) | Screen n° 4 (99 µ) | Sieb Nr. 4 (99 µ) | Tamiz n° 4 (99 µ) | 1 |
| 7 | 000.161.106 | Tamis n° 6 (168 µ) | Screen n° 6 (168 µ) | Sieb Nr. 6 (168 µ) | Tamiz n° 6 (168 µ) | 1 |
| - | 000.161.108 | Tamis n° 8 (210 µ) | Screen n° 8 (210 µ) | Sieb Nr. 8 (210 µ) | Tamiz n° 8 (210 µ) | 1 |
| 7 | 000.161.112 | Tamis n° 12 (280 µ) | Screen n° 12 (280 µ) | Sieb Nr. 12 (280 µ) | Tamiz n° 12 (280 µ) | 1 |
| - | 000.161.115 | Tamis n° 15 (360 µ) | Screen n° 15 (360 µ) | Sieb Nr. 15 (360 µ) | Tamiz n° 15 (360 µ) | 1 |
| - | 000.161.020 | Tamis n° 20 (510 µ) | Screen n° 20 (510 µ) | Sieb Nr. 20 (510 µ) | Tamiz n° 20 (510 µ) | 1 |
| - | 000.161.030 | Tamis n° 30 (750 µ) | Screen n° 30 (750 µ) | Sieb Nr. 30 (750 µ) | Tamiz n° 30 (750 µ) | 1 |


OPTIONS - ON REQUEST - OPTIONEN - OPCIONES



| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|--|---|---|-----|
| - | 155.190.105 | Support filtre avec vis, rondelles et écrous | Mounting bracket with screws, washers and nuts | Filterhalterung mit Schrauben, Scheiben und Muttern | Soporte filtro con tornillos, arandelas y tuercas | 1 |

| | | |
|---|---|---|
| Doc. 573.035.050 Date/Datum/Fecha : 09/06/11 Annule/Cancels/ Ersetzt/Anula : 08/06/02 | Modif. /Änderung : Mise à jour / Update / Aktualisierung / Actulaización | Pièces de rechange Spare parts list Ersatzteilliste Piezas de repuesto |
|---|---|---|

| | | |
|---------------------------------|----------------------------------|-------------|
| KIT AIR DE PULVERISATION | ATOMIZING AIR KIT | # |
| ZERSTÄUBERLUFTSET | KIT AIRE DE PULVERIZACIÓN | 151.740.200 |



| Ind | # | Désignation | Description | Bezeichnung | Denominación | Qté |
|-----|-------------|--|---|--|--|-----|
| 1 | 016.380.000 | Détendeur d'air 1/4 - 3,5 bar - volant rouge | Air regulator, 1/4 - 3,5 bar / 51 psi - red knob | Druckminderer, 1/4 - 3,5 bar (rote Stellglocke) | Manorreductor, 1/4 - 3,5 bar (rojo) | 1 |
| 2 | 910.011.404 | Manomètre 0 - 4 bar | Gauge 0 - 4 bar / 0 - 58 psi | Manometer, 0-4 bar | Manómetro, 0-4 bar | 1 |
| 3 | 906.333.102 | Bouchon 8 x 13 | Plug, 8 x 13 | Blindstopfen, 8 x 13 | Tapón, 8 x 13 | 1 |
| 4 | 050.102.624 | Raccord M 1/4 BSP - M 1/4 NPS | Fitting, double male, 1/4 BSP - 1/4 NPS | Doppelnippel M 1/4 BSP - M 1/4 NPS | Racor, M 1/4 BSP - M 1/4 NPS | 1 |
| 5 | 050.102.212 | Mamelon 1/2 - longueur 50 mm | Nipple 1/2 - length 50 mm / 2 " | Rohrnippel 1/2 - Länge 50 mm | Pivote de centrado 1/2 - 50 mm de largo | 1 |
| 6 | 050.102.211 | Raccord M 1/4 BSP - M 1/2 BSP | Fitting, double male, 1/4 BSP - 1/2 BSP | Doppelnippel M 1/4 BSP - M 1/2 BSP | Racor, M 1/4 BSP - M 1/2 BSP | 1 |
| 7 | 904.303.004 | Té FFF 1/2 | Tee, FFF 1/2 | T-Stück FFF 1/2 | Te FFF 1/2 | 1 |

Le kit "Air de pulvérisation" se monte entre la vanne d'arrivée d'air et le détendeur d'alimentation moteur.

Le détendeur (rep. 1) permet l'alimentation en air d'un pistolet AIRMIX® par le raccord (rep. 4). La pression d'air de pulvérisation est lue sur le manomètre (rep. 2).

Ce kit se monte :

- sur l'équipement d'air des pompes AIRMIX® (pompes équipées d'un moteur 1000/4 ou 2000/4)
- sur l'équipement d'air des pompes AIRLESS® de **rappor de pression 40 maxi**.

ATTENTION : monter un pistolet AIRMIX® adapté à la pression délivrée par la pompe.

The atomizing air kit must be installed between the air inlet valve and the air motor supply regulator.

An AIRMIX® gun can be supplied with air by means of the regulator (ind.1) and of an adaptator (ind.4). The atomizing air pressure is read on the gauge (ind.2).

The kit must be installed :

- on the air supply of the AIRMIX® pumps (equipped with an air motor, model 1000/4 or 2000/4)
- on the air supply of the AIRLESS® pumps (pressure ratio 40 max).

CAUTION: install an AIRMIX® gun suitable for the pressure delivered by the pump.

Das Zerstäuberluftset wird zwischen dem Lufteinangshahn und dem Pumpenluftrregler eingebaut.

Der Druckminderer (Pos. 1) versorgt die AIRMIX® Pistole mit Luft mit Hilfe eines Doppelnippels (Pos. 4). Der eingestellte Druck wird am Manometer (Pos. 2) abgelesen.

Dieses Set wird montiert :

- auf die Lufterüstung der AIRMIX®Pumpen (mit einem Motor 1000/4 oder 2000/4 ausgestatteten Pumpen)
- auf die Lufterüstung der AIRLESS®Pumpen mit **Druckübersetzung maximal 40**.

ACHTUNG : eine AIRMIX® Pistole montieren, die dem Druck der Pumpe entspricht.

El kit "Aire de pulverización" se monta entre la válvula de llegada de aire y el manorreductor de alimentación motor.

El manorreductor (índ. 1) permite alimentar en aire una pistola AIRMIX® mediante el racor (índ. 4). La lectura de la presión de aire de pulverización se lleva a cabo mediante el manómetro (índ. 2).

El kit se monta :

- en el equipo de aire de las bombas AIRMIX® (bombas equipadas con un motor, tipo 1000/4 o 2000/4)
- en el equipo de aire de las bombas AIRLESS® con una **relación de presión 40 máxima**.

OJO : instalar una pistola AIRMIX® adaptada a la presión que aporta la bomba.



AIRLESS PUMP

PREVENTIVE MAINTENANCE

TRANSLATION OF THE ORIGINAL MANUAL

IMPORTANT : before assembly and start-up, Please read and clearly understand all documents relating to this equipment (professional use only).

PICTURES AND DRAWINGS ARE NON CONTRACTUAL. WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT PRIOR NOTICE.

KREMLIN - REXSON
150, avenue de Stalingrad
93 245 - STAINS CEDEX – France
 : 33 (0)1 49 40 25 25 Fax : 33 (0)1 48 26 07 16

www.kremlin-rexson.com

■ PUMP

Make sure that the pump is clean and in good condition to increase equipment working life.

If the pump is a intensive™ one :

- Make sure the pump fluid outlet flange is always filled up with T lubricant (this T lubricant will normally be coloured by the paint).
- Regularly clean the wetting-cup with solvent after having drained the lubricant (Unscrew the plug placed at the upper flange).

Guards (motor cover, coupling shields, connectors,...) have been designed for a safe use of the equipment.

The manufacturer will not be held responsible for bodily injury or failure and / or property damage due to destruction, the overshadowing or the partial or total removal of the guards.

Make sure that the suction strainer is clean and in good condition. Clean it regularly and replace it if it is necessary.

Flush the pump as often as necessary, specially when spraying pigment filled-material.

**Whatever the case, when stopping the pump, always leave it filled with material :
For a short duration shutdown, if the flushing has not been carried out, leave the pump filled with material.
For a long duration shutdown, after flushing, leave it filled with solvent.**

■ SPRAY GUN

Comply with the usual instructions of spray gun servicing (refer to spray gun manual).

■ FILTER

If the pump is equipped with a filter at the fluid outlet, comply with the usual instructions of filter servicing (refer to filter manual).



HIGH PRESSURE PUMP FOR AIRMIX® AND AIRLESS SPRAYING

TROUBLESHOOTING

TRANSLATION OF THE ORIGINAL MANUAL

IMPORTANT : Before assembly and start-up, please read and clearly understand all the documents relating to this equipment (professional use only).

THE PICTURES AND DRAWINGS ARE NON CONTRACTUAL. WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT PRIOR NOTICE.

KREMLIN - REXSON
150, avenue de Stalingrad
93 245 - STAINS CEDEX – France
☎ : 33 (0)1 49 40 25 25 Fax : 33 (0)1 48 26 07 16

www.kremlin-rexson.com

| CAUSE | SOLUTION |
|--|---|
| The pump does not start. | Check the pump air supply. |
| Priming trouble : → Air is always coming out from the spray gun. → Air (or material) does not come out from the spray gun. | Be sure that the spray gun is fully opened and air evacuated through this one. Air intake at the fitting or at the suction rod. Check the pump valves. If a valve is stucked by dry paint, it can be unsticked without disassembling it. Blow air pressure directly by suction fitting. |
| The pump does not stop at once when shutting off the spray gun : → The pump stops only on down stroke. → The pump stops only on up stroke. | Check exhaust valve or valve seal. Check suction valve or upper cartridge. |
| The pump does not reverse. | Check spring of the air motor reversing-block. Lubricate reversing-block with HP 150 oil. Check if there is pilot air (depending on air motor model). |
| On intensive™, pump, the lubricant into the cup is fastly coloured. | Check the upper packing (tighten the cup or change seals if it is necessary). |
| On FLOWMAX ® pump, leakage of fluid at the bottom of the air motor. | Check bellow. |
| Spraying trouble. | Refer to spray gun manual. |
| Decrease of material flow. | Refer to filter instruction manual. |



HIGH PRESSURE PUMP FOR AIRMIX® AND AIRLESS SPRAYING

OPERATING PRINCIPLE AND START-UP

TRANSLATION OF THE ORIGINAL MANUAL

IMPORTANT : Before assembly and start-up, please read and clearly understand all the documents relating to this equipment (professional use only).

THE PICTURES AND DRAWINGS ARE NON CONTRACTUAL. WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT PRIOR NOTICE.

KREMLIN - REXSON
150, avenue de Stalingrad
93 245 - STAINS CEDEX – France
☎ : 33 (0)1 49 40 25 25 Fax : 33 (0)1 48 26 07 16

www.kremlin-rexson.com

1. OPERATING PRINCIPLE

The pump (A) consists of :

- an alternating air motor (B).
 - an hydraulic section(C) mechanically coupled to the air motor (B).

The air motor is supplied with compressed air by means of the regulator (D) (red knob). The pressure is read on the gauge (E).


During its alternating movement, the air motor drives the piston of the hydraulic section (C). The fluid is drawn in (L) and forced under pressure in (N). Due to its design, the pressure is always the one read on the gauge (E) x the pump ratio.


⇒ To adjust the fluid flow rate, turn the red knob (D) (Gauge E).

The pumps are intensive™ ones or FLOWMAX® ones (with bellow).

2. START UP

2-1 PUMP SUPPLIED IN SUCTION





Captions :

| | | | |
|---|--------------------------------------|---|---|
| A | intensive™ or FLOWMAX ® pump (B + C) | L | Suction rod (depending on version) |
| B | Air motor | M | Accumulator filter (depending on version) |
| C | Fluid section | N | Air shut off valve (depending on version) |
| D | "MOTOR AIR" air regulator | O | Air shut off rod (depending on version) |
| E | Gauge | P | HP Fluid hose |
| H | Air inlet valve | Q | Gun |
| I | Ground | R | T lubricant (1/4 l / 8.82 oz) (only for intensive™ pump) |
| J | Relief valve | S | Wetting-cup (only for intensive™ pump) |

(For specific installation, please contact your KREMLIN REXSON representative).

Nota : If the pump is equipped with an accumulator filter (M), the filter is supplied with a screen n° 12 (filtration size : 280 µ or 55 mesh). The screen is recommended for the use of an AIRLESS ® gun fitted with a nozzle model 20. If the fluid spraying is carried out by means of an other nozzle, please choose an other screen (refer to filter instruction manual). Adjust the screen to the application.

Start up procedure :

- 1 - Ground the pump.
 - 2 - **If the pump is a intensive™ one, fill up the wetting-cup (S) with "T" lubricant (R) or with an appropriate solvent.**
 - 3 - Unscrew the air regulator (D).
 - 4 - Interconnect the equipment with the air pressure network (clean air - P< 6 bar / 87 psi). Install a water drop, model 3/4" if it is necessary.
 - 5 - Connect all the hoses , compressed air general supply hose and fluid hose (P), as well as the gun (Q).
- Nota :** Comply with the diameters of hoses recommended in the specifications of the pump.
- 6 - Remove the nozzle from the gun.

■ FLUSHING WITH SOLVENT

- 7 - Immerse suction rod (L) and air shut off rod (O) into the material container.
- 8 - Open air shut off valve (N).
- 9 - Open the valve (H) of the pump air equipment to supply the air motor.

Nota : If the air motor is a 5000 or a 8000 version, it needs pilot air to operate. The pump air equipment supplies pilot air to the air motor. The air supply pressure is adjusted previously in the factory to 4 bars / 58 psi maximum.

- 10 - Increase the air regulator (D) so that the pump runs slowly (Pressure between 0.5 and 1 bar / 7.25 to 14.503 psi).
- 11 - Observe the drain (O); air bubbles come out from it. When bubbles no longer come out from it, shut off the drain valve (N).

■ PRIMING WITH MATERIAL

- 12 - Remove suction rod (L) and drain rod (O) from material container and immerse them in a solvent filled container.
- 13 - Open drain valve (N), wait until the material flows out regularly, then shut off the drain valve (N).
- 14 - Point the spray gun towards the material container and trigger the gun until the material flows out regularly.

■ WORK

- 12 - Remove suction rod (L) and drain rod (O) from material container and immerse them in a solvent filled container.
- 13 - Open drain valve (N), wait until the material flows out regularly, then shut off the drain valve (N).
- 14 - Point the spray gun towards the material container and trigger the gun until the material flows out regularly.

Nota : Some of these pumps are designed for AIRMIX ® spraying when using long hoses and medium or high viscosity fluids.

For this use, a spraying air kit shall be mounted on the pump air supply in order to feed compressed air to the spray gun.

2-2 PUMP SUPPLIED IN FILLING (CIRCULATING)

Interconnect the fluid inlet of the pump with the circulating supply hose and start up the pump as it is specified previously.

If the pump is a FLOWMAX ® one :

WARNING:

- **Fluid section filling pressure :** 2 bar maximum / 29 psi maximum
- **WARNING : Do not create overpressure.**
- **Never use** the pump when **an isolating gate on the supply circuit** (upstream from the FLOWMAX ® fluid section) is shut : **it would damage the bellows.**
- **Do not install** a material regulator on the supply circuit or any arrangement that could perform as a non-return valve.

3. SHUTDOWN AT THE END OF THE WORK

■ SHORT DURATION SHUTDOWN

- 1 - Decrease the material pressure of air regulator (D) until reading **0 bar / 0 psi** on gauge (E).
- 2 - Trigger the gun to depressurize the system.
- 3 - Remove the nozzle of the spray gun and soak it into solvent.

■ LONG DURATION SHUTDOWN

- 1 - Decrease the material pressure of air regulator (D) until reading **1 bar / 14.503 psi** on gauge (E).
- 2 - Remove the nozzle from the spray gun and soak it into solvent.
- 3 - Open the drain valve. The pump must operate at low speed. If the speed is too high, decrease the pump air pressure (D).
- 4 - Remove the suction rod and the drain rod from the material container and immerse it in a solvent-filled container. Take all the appropriate precautions in the presence of flammable solvents.
- 5 - When the solvent flows out clear and clean, close the drain valve.
- 6 - Point the spray gun towards the material container and press the gun trigger. When the solvent flows out, point the gun towards the recovery container.
- 7 - When the solvent flows out regularly, release the spray gun trigger.

Nota : If the pump is a intensive™ one, release the spray gun trigger when the pump piston is in a low position. To prevent from damaging the seals when starting once again the pump, the piston must be immersed into solvent.

- 8 - Fully unscrew the air regulator (D) and shut off the main compressed air valve (valve H).
- 9 - Trigger the spray gun trigger to decompress the hoses. Therefore, the pump and the hose remain filled with solvent at the atmospheric pressure.

4. SAFETY DEVICE

Guards (air motor cover, coupling shields, housings ...) have been designed for safe use of the equipment.

The manufacturer will not be held responsible for bodily injury or failure and / or damage to property due to removal or partial removal of the guards

A relief-valve (setting : 6.5 bar / 94 psi) is fitted on the pump air motor - thus protecting this one from an overpressure which could damage it.



AIRLESS PUMP

40-25

TECHNICAL FEATURES

TRANSLATION FROM THE ORIGINAL MANUAL

IMPORTANT : Before assembly and start-up, please read and clearly understand all the documents relating to this equipment (professional use only).

THE PICTURES AND DRAWINGS ARE NON CONTRACTUAL. WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT PRIOR NOTICE.

KREMLIN - REXSON

150, avenue de Stalingrad
93 245 - STAINS CEDEX – France

: 33 (0)1 49 40 25 25 Fax : 33 (0)1 48 26 07 16

www.kremlin-rexson.com

1. DESCRIPTION

- Stainless steel pump
- Low maintenance and ease of use

Recommended for :

- Supplying one or several spray guns
- Water-based or solvent-based paints whose viscosity is lower than 1 000 mPa/s

2. TECHNICAL FEATURES

Motor type 1000-4
Pump body type 25
Theoretical Fluid pressure ratio 40/1

Wetted parts :

Hard chrome stainless steel, Stainless steel, Carbide, Polyacetale.

Tightness packings :

Upper, fixed : Polyfluid + PTFE G
Lower, mobile : GT seal

| | | |
|---|---------------------|------------|
| Air motor stroke | 100 mm | 4" |
| Air motor section | 100 cm ² | 15 sq.in |
| Fluid section | 2,5 cm ² | 0.4 sq.in |
| Delivery per cycle | 50 cc | 1.76 oz |
| Number of cycle | 20 | 76 per gal |
| Fluid delivery (30 cycles) | 1,5 l | 0.4 USgal |
| Maximum air operating pressure | 6 bar | 88 psi |
| Maximum discharge pressure | 240 bar | 3480 psi |
| Weighted sound pressure (L _{Aeq}) | 77.8 dBA* | 77.8 dBA* |
| Maximum operating temperature | 60° C | 140° F |
| Weight | 22 kg | 48.5 Lbs |

* Test conditions - Noise level :

- Test duration : 30 s,
- Motor air pressure : 6 bar,
- Material used : water,
- Flow rate : Pump adjusted at 20 cycles/minute

■ FITTINGS


| | | Bare pump | Pump assembly |
|-------|--------|-----------|---|
| Air | Inlet | F 3/8 BSP | F 3/4 BSP (air supply) |
| Fluid | Inlet | F 1/2 BSP | Male 26 x 125 + suction rod (fitting F 26 x 125) |
| | Outlet | F 3/8 NPS | M 1/2 JIC / # 5 JIC (filter outlet) |

■ HOSES WITH FITTINGS

Pump air supply hose (minimum Ø for a 5 m / 16.5 ft length) : Ø 16 mm / 5/8"
AIRLESS fluid hose (between pump fluid outlet and spray gun) : Ø 4.8 mm / 3/16"

■ DIMENSIONS

| Ind. | mm | " | Ind. | mm | " | Ind. | mm | " |
|------|----------|--------------|------|------|--------|------|-------|--------|
| A | 400 | 15.75 | B | 220 | 8.7 | C | 800 | 31.5 |
| D | 280 | 11 | E | 182 | 7.2 | F | 35 | 1.38 |
| G | 36.5 | 1.43 | H | 60 | 2.36 | I | 211.5 | 8.3 |
| J | Ø 7 x 15 | Ø 0.27 x 0.6 | K | Ø 17 | Ø 0.67 | L | Ø 9 | Ø 0.35 |
| M | Ø 9 | Ø 0.35 | | | | | | |




3. INSTALLATION

The pumps are designed to be installed in a spray booth.


■ DESCRIPTION OF THE LABEL MARKING

Marking in accordance with
the ATEX Directive



| | |
|---------------------------------|--|
| KREMLIN REXSON STAINS FRANCE | Name and address of the manufacturer |
| TYPE xx | Pump model |
| Ex II 2 G | I I : group II 2 : class 2 Surface equipment meant to area where explosive atmospheres due to gas, vapours, mists are liable to appear from time to time in usual operating G : gas |
| P prod : xx bar / xx psi | Maximum fluid pressure at the pump outlet |
| P air : 6 bar / 87 psi | Air supply maximum pressure of the pump motor |
| Serie / Serial | Number given by KREMLIN REXSON. The two first numbers indicate the manufacturing year. |

■ INSTALLATION INSTRUCTIONS



| Ind. | Description |
|------|--|
| A | Explosive area area 1 (Z1) or area 2 (Z2) : spray booth |
| B | Non explosive area |

| Ind. | Description |
|------|-------------|
| 1 | Pump |
| 2 | Spray gun |



The 1 m / 39.37" distance indicated in these diagrams is given for information purposes only and hold harmless to KREMLIN REXSON. The user is responsible for the extraction and conditioning of the painting area where the equipment is used, for working conditions conditions (refer to EN 60079-10 standard). The 1 m / 39.37" distance may be modified if trials carried out by the user deem this necessary.



NB : Choose the appropriate pump to ensure that the working pressure supplied is suitable for the selected gun.